

## **APPENDIX J-ASSIST: CONVERSION SYSTEMS DOCUMENTATION**

This appendix contains the information for the Alabama Social Services Information SysTem (ASSIST) that the State is asking the Vendor to convert. All record counts, i.e. number of users, number of workers, etc., are as of 9/1/2005.

### **1.0 ASSIST (Alabama Social Services Information SysTem)**

#### **1.1 Background and Purpose**

The Alabama Social Services Information System (ASSIST) project officially began in March 1996 with the ACF approval of Alabama's SACWIS Implementation Advance Planning Document. The system architecture chosen for the project was client/server for the user interface and processing the information, the state mainframe computer for housing the DB2 database and PowerBuilder for the code language. The original system was a transfer obtained from the State of New Mexico. In September 1998, the State served as its own Implementation Manager, and has attempted to implement the system in functional increments. Only about twenty percent of the SACWIS requirements are in the current release of ASSIST.

This application was designed to gather data consisting of Intake for adults and children, Assessments that contain Preventions and Child Abuse and Neglect (CAN) cases, and Investigations for adult services. The implementation of the web-based application included a conversion of the original application from the client server mainframe system along with additional functionality to include safety analysis and decision making for Child Protective Services (CPS).

The State moved to a browser-based system architecture, still using PowerBuilder, JavaScript, JSP, HTML, XML for the code language and housing the DB2 database on the state mainframe computer. The web-based version of the ASSIST application was implemented in February 2005. Also included in the application was the Child Abuse and Neglect Central Registry system previously accessed by child welfare staff on the ACWIS system and the Adult Abuse and Neglect system previously accessed by Adult Protective Service staff from a Paradox application. The implementation of the web-based application included a conversion of the original application from the client server mainframe system along with additional functionality to include safety analysis and decision making for Child Protective Services (CPS).

## 1.2 System Architecture

The ASSIST application is a multi-platform application. The current n-tier architecture is as follows:

- Batch Processes (DB2, COBOL)
- Stored Procedures (DB2)
- Application Server (Sybase EAServer)
- Web Environment (HTML, JavaScript, JSP)

|                   |   |
|-------------------|---|
| Hardware, OS      | ISD Mainframe,<br>Windows-based PCs   |
| Software          | Enterprise COBOL v3.0, EAServer 4X, DB2 Connect 7 ,<br>PowerBuilder 8, Dreamweaver MX, Fireworks MX,<br>Windows NT  |
| Data Storage      | DB2 v8.0  |
| Communication     | IP/IPX  |
| # of tables/files | 198 - Tables  |
| # of reports      | 54  |
| Data Volume       | # Workers Active – 2,268 In Active -1,549<br># Open Child Abuse Neglect (CA/N), Prevention and Adult Service (AS) Intakes – 131,221, Closed – 521,117<br># Open CA/N, Prevention and AS Investigations – 9,031, Closed – 636,635<br># Narrative Entries in Open Child Welfare and Adult Services Intakes – 232,700<br># Participants in Open Intakes and Investigations – 2,423,349, Closed – 2,378,956 |

The current development environment for ASSIST consists of an Application Server with EAServer 4.x and DB2 Connect. Each developer has a workstation with Windows XP, EAServer 4.x, PowerBuilder 8, Dreamweaver MX, Fireworks MX and DB2 Connect. The development database is DB2 and is housed on the State mainframe.

The development methodology that is used by the project was developed based on the requirements identified in:

- IEEE/EIA 12207-1995: IEEE/EIA Standard for Information Technology – Software Life Cycle Processes
- IEEE Std 828-1998: IEEE Standard for Software Configuration Management Plans
- IEEE Std 829-1998: IEEE Standard for Software Test Documentation
- IEEE Std 1012-1998: IEEE Standard for Software Verification and Validation
- IEEE Std 730-2002: IEEE Standard for Software Quality Assurance Plans

### **1.3 Functional Structure of the System**

**The structure of the system includes:**

- Computers in each County Office and in State Offices
- Direct input by users
- Forms and correspondence to aid workers in the delivery of protective services
- Reports and on-line assistance to help users manage their caseloads
- Reports and on-line assistance to help supervisors and managers to manage county workloads
- Statistical reporting for statewide management

**The system aids in decision making:**

- Management decisions are aided by system-generated reports providing :
  - Aggregate information on total number of CA/N reports received, Preventions received, and Adult Abuse / Neglect and Exploitation reports
  - Historical information on each report
- Service delivery decisions are aided by safety analysis and decision-making for children and adult risk assessment for adults.
- Historical information aids in the prevention of child abuse and neglect and adult abuse/neglect or exploitation.

### **1.4 Users of the System**

- Adult Protective Service County Workers and Supervisors
- Child Protective Service County Workers and Supervisors
- Family and Children Services Program Area Staff in State DHR and Consultants
- Adult Services Program Area Staff in State DHR and Consultants

### **1.5 ASSIST System Design**

#### **1.5.1 Data Flow**

ASSIST houses child and adult cases on a DB2 database. Included on the database is participant demographics, allegations, date the allegation was received, investigation notes, investigation status and investigation disposition. Reports are generated on a weekly, monthly, quarterly, annually, and “as requested” basis for use by state and county workers for quality assurance, worker activity monitoring, and federal reporting.

- **User interaction with Online Application**

Allegation and participant information is entered through the online application. The supervisor gives approval to the information entered by the primary worker.

- **Allegation Disposition**

A decision is made based on the investigation conducted by the primary worker whether the allegation is indicated or not indicated.

- **Reports are Generated**

Reports are made available via ERD on the Intranet. The majority of the reports are generated monthly. In addition to the ASSIST reports, ASSIST data is passed to ACWIS for RC status reporting.

- **Database Maintenance**

Image copies are taken for disaster recovery.

### **1.5.2 Subsystems**

There are no subsystems in ASSIST.

## **1.6 Security and Confidentiality**

ASSIST security requirements can be organized into three categories:

- Physical
- Access
- Transaction security

ASSIST is protected from uncontrolled access to the system's physical environment, software, and database, as well as to on-line transactions.

The State is responsible for providing physical security for the ASSIST environment at all State offices and institutions. The ASSIST technical development team is looking for ways to help the State to reduce its physical security risk, regardless of jurisdiction and location.

Access control security mediates access to the different levels of the ASSIST application, databases, and supporting system software. Access may simply mean access to the local area network (LAN) for the use of the office automation capability, or full access to the ASSIST application by DHR child welfare and adult services staff.

Persons requiring access to the ASSIST electronic environment are assigned logon identifiers and passwords that determine their level of access to the

environment. Periodically, passwords expire and must be changed. Authorized individuals may also change passwords at any time within the scheduled period.

Access security ensures the integrity of the ASSIST information. Direct access to the databases and application software is limited to only those State staff and ASSIST team members responsible for the development or maintenance of critical areas.

Access control security is managed at four levels:

- LAN
- Intranet (Web)
- ASSIST application
- Database

The LAN-level security access is controlled by the Novell NetWare security modules. These modules control access to the applications and functions running on the LAN, including office automation tools and printing. Once a worker has been granted access to the LAN, he/she will obtain access to the office automation tools and printing capabilities and any Intranet sites that they have permission to access. ASSIST will use the authentication and verification of the NetWare operating system to identify each system user. NetWare will ensure that each user supplies the correct user ID and password before allowing the user onto the workstation. After the user has successfully passed NetWare authentication and verification, ASSIST will use the NetWare user ID to determine the unique ASSIST worker identification number. The ASSIST worker identification number is then used to select a worker's user group, which is used to determine the security access rights. NetWare will ensure there is unique identification of number/names and passwords for each user. Moreover, NetWare will also age passwords and test them for common words, names, and dates. The frequency at which passwords must be changed can easily be controlled through NetWare.

The Intranet level security allows the worker to access various Intranet applications including ASSIST. The user id must be linked to the sites a worker has permission to access before the connection to the site can be made.

The ASSIST application has an internal application security module that will control the access of each individual user. The system associates each user with a user group. Each user group contains the authorization for windows that the user can view and/or modify. Workers who have the security maintenance authorization will maintain all this security information for the groups.

Transaction security controls access to specific ASSIST functions and information. Levels of transaction security range from read-only access to specific system information. For example, a clerk might only have access to case assignment data necessary to route calls to the worker assigned to a case. A top-level manager, on the other hand, might be able to create, review, update, and delete data for all ASSIST functions. The ASSIST application security modules control transaction security.

In addition to the user's security profile, access is also controlled by ownership of the case. Even though a worker has update access to a particular window does not mean that the worker can update all other cases from that window. Security restrictions are also associated with case or provider assignments. To update a provider/case, a worker must be actively assigned to that case.

ASSIST will:

- Support the restricted access to the reports through the JCL, which is used to print the sensitive reports.
- Contain a set of reference windows that allows authorized users to setup and maintain system security. The windows allow the creation and maintenance of user groups. Also, the Worker Security window allows authorized users to associate workers to user groups to define users' security access within the ASSIST system.
- Allow simultaneous access to case information from multiple sites. The ASSIST security module controls access rights, including read-only, update, and non-access to each window based on the user group of each worker; and the user groups can be assigned by worker position. Also, the ASSIST security implementation requires that a worker be assigned to a piece of work to modify that work. For example, a worker must be assigned to a case to update information related to that case.
- ASSIST will not allow an inactive worker to log on; NetWare maintains a log of unsuccessful log-on attempts.

## **1.7 System Management**

The technical management of ASSIST is provided by the Center for Information Services which safeguards the system by monitoring:

- Access to data;
- Quality and consistency of data; and
- The growth rate of the files in the computer.

## **1.8 Back Up and Recovery Procedures**


A back-up copy of the total data base is taken each day and also after each batch update program is run. Therefore, if a major system failure should occur the database would not lose more than one day's transactions. Only one day of data entry activity would need to be re-entered.

## **1.9 Interfaces**

|                                       |  |
|---------------------------------------|--|
| Purpose of Interface                  | <ul style="list-style-type: none"><li>Assessment information is passed to ACWIS and used along with other ACWIS data to produce the RC Status Report which is used by county directors as a statistical management tool.</li></ul> |
| Interface Process                     | <ul style="list-style-type: none"><li>Each monthly batch process creates flat files with monthly data which is then read by an ACWIS batch process to create the report.</li></ul>   |
| Type of Tables/Files for data storage | <ul style="list-style-type: none"><li>Flat files</li></ul>   |
| Type of Interface                     | <ul style="list-style-type: none"><li>One way interface using batch COBOL DB2 programs</li></ul>   |
| Frequency of Interface                | <ul style="list-style-type: none"><li>Monthly Batch Process</li></ul>  |
| Volume                                | <ul style="list-style-type: none"><li>Occurs once a month</li></ul>  |
| Data Structure                        | <ul style="list-style-type: none"><li>The fields in this file are: Office Code, Month, RC Indicator Type and RC Indicator Count</li></ul>  |

## **1.10 Data Model**


This data model for ASSIST shows the relationships between the different packages within the ASSIST database. The ASSIST database is very normalized with almost 200 tables. The data dictionary section will include a data model for each of the packages along with the table and data element descriptions. The modeling for ASSIST was built in PowerDesigner 9.



## **1.11 Data Dictionary**

### **1.11.1 PKG\_ADULT\_RISK**





| Table Name         | Type | Data Structure | Remarks   |
|--------------------|------|----------------|---|
| PIV_ADLT_RISK_ASSM | DB2  | 1.11.1.1       | Ties together a specific assessment, an investigation, and if the risk is immediate or not. Provides the core risk assessment data. |
| PIV_ADLT_RISK_RSN  | DB2  | 1.11.1.2       | Ties the specific reason an adult has been identified as at risk.   |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| INVESTIGATION          | PKG_INVESTIGATION | 1.11.8.3       |
| REF_CHOICE             | PKG_REFERENCE     | 1.11.17.4      |
| REF_LIVING_ARRANGE     | PKG_REFERENCE     | 1.11.17.11     |
| REF_REASON             | PKG_REFERENCE     | 1.11.17.13     |
| REF_TYPE_CATEGORY      | PKG_REFERENCE     | 1.11.17.18     |


### 1.11.1.1 PIV\_ADLT\_RISK\_ASSM

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_ADLT_RSK_ASSM | INTEGER   | Primary Key - System generated Identity column     |                              | True |
| ID_INVS          | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_CHOICE        | INTEGER   | foreign key from table Ref_Choice                  | 1.12.10                      |      |
| ID_LVNG_ARNG     | integer   | foreign key from table Ref_Living_Arrange          | 1.12.26                      |      |
| DT_ACTV          | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.1.2 PIV\_ADLT\_RISK\_RSN

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_ADLT_RSK_RSN  | INTEGER   | Primary Key - System generated Identity column     |                              | TRUE |
| ID_RSN           | INTEGER   | foreign key from table Ref_Reason                  | 1.12.32                      |      |
| ID_ADLT_RSK_ASSM | INTEGER   | Primary Key - System generated Identity column     |                              |      |
| DT_ACTV          | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

## 1.11.2 PKG\_ALLEGATIONS



| Table Name     | Type | Data Structure | Remarks   |
|----------------|------|----------------|---|
| INCIDENT       | DB2  | 1.11.2.1       | Used to capture a specific incident location and date/time. |
| PIV_ALLEGATION | DB2  | 1.11.2.2       | Pivot (or Associative) table that links                     |

|                     |     |          |   |
|---------------------|-----|----------|---|
|                     |     |          | an ANE Code with an ANE description to establish an Allegation. Also provides the capability to associate an optional Incident date/time/location with the specific Allegation. |
| REF_ANE_CODE        | DB2 | 1.11.2.3 | Contains the Abuse, Neglect, and Exploitation codes for both CPS and AS.  |
| REF_ANE_DESCRIPTION | DB2 | 1.11.2.4 | Contains the ANE description that applies to specific ANE Codes for both CPS and AS. Each description is associated with a specific code.                                       |

| <b>Table Name (Shortcuts)</b> | <b>Target Package</b> | <b>Data Structure</b> |
|-------------------------------|-----------------------|-----------------------|
| PIV_ALGT_INVS                 | PKG_INVESTIGATION     | 1.11.8.5              |
| REF_INTAKE_CTGRY              | PKG_REFERENCE         | 1.11.17.10            |

### 1.11.2.1 INCIDENT

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_INCDNT      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| DT_INCDNT      | DATE      | date reported incident occurred                    |                              |      |
| TX_INCDNT_LCTN | CHAR(100) | Location of the specific incident.                 |                              |      |

### 1.11.2.2 PIV\_ALLEGATION

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ALGT      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ANE_CODE  | INTEGER   | foreign key from table ref_anе_code                | 1.12.4                       |      |
| ID_ANE_DSCR  | INTEGER   | foreign key from table ref_anе_dscr                | 1.12.5                       |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_INCDNT    | INTEGER   | foreign key from table incident                    |                              |      |
| DT_RCVD      | DATE      | Date DHR was made aware of the allegation.         |                              |      |
| TM_RCVD      | TIME      | Time DHR was made aware of the allegation.         |                              |      |

### 1.11.2.3 REF\_ANE\_CODE


| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_ANE_CODE   | INTEGER       | Primary Key, Identity, System generated                    | 1.12.4                       | TRUE |
| ID_INTK_CTGRY | INTEGER       | foreign key from table Ref_Intake_Ctgry                    | 1.12.24                      |      |
| TX_ANE_CODE   | CHARacter(40) | Text that identifies the Abuse, Neglect, Exploitation code |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                           |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive                 |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified         |                              |      |

### 1.11.2.4 REF\_ANE\_DESCRIPTION

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_ANE_DSCR  | INTEGER       | Primary Key, Identity, System generated                          | 1.12.5                       | TRUE |
| ID_ANE_CODE  | INTEGER       | Used to filter the allowable Description based on code selected. | 1.12.4                       |      |
| TX_ANE_DSCR  | CHARacter(75) | Text description.  |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                                 |                              |      |

|           |           |  |  |  |
|-----------|-----------|--|--|--|
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |  |  |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |  |  |

### 1.11.3 PKG\_APPLICATION\_ERROR



| Table Name        | Type | Data Structure | Remarks   |
|-------------------|------|----------------|---|
| ASSIST_HTML_ERROR | DB2  | 1.11.3.1       | Contains a snapshot of the HTML that generated an error and that the user has submitted via the "helpdesk" function of the framework.                                     |
| AUX_HTMLERR       | DB2  | 1.11.3.2       | DO NOT GENERATE THIS TABLE. Contained in the End Script of the Parent table. Auxiliary table that stores the value of BLOB column TX_HTML_PAGE of ASSIST_HTML_ERROR table |
| DEBUG_STORPROC    | DB2  | 1.11.3.3       | Used by the Stored Procedures when errors are encountered.  |
| REF_APP_ERROR     | DB2  | 1.11.3.4       | Used to store application specific  |

|                |     |          |         |
|----------------|-----|----------|---------|
|                |     |          | errors. |
| REF_DW_ERRORS  | DB2 | 1.11.3.5 |         |
| REF_HELP_XREF  | DB2 | 1.11.3.6 |         |
| REF_TABLE_NAME | DB2 | 1.11.3.7 |         |

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| FWK_PROCESS            | PKG_FRAMEWORK  | 1.11.6.8       |
| FWK_SUB_PROCESS        | PKG_FRAMEWORK  | 1.11.6.13      |
| WORKER                 | PKG_WORKER     | 1.11.22.11     |

### 1.11.3.1 ASSIST\_HTML\_ERROR

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_ASST_HTML_ERR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR          | INTEGER   | foreign key from table Worker                      |                              |      |
| TX_JSP_ERR_CODE  | CHAR(50)  | For Developers - code error - JSP side             |                              |      |
| DT_ACTV          | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_HTML_ROWID    | ROWID     | Helpdesk   |                              |      |
| TX_HTML_PAGE     | BLOB(50K) | Helpdesk   |                              |      |

### 1.11.3.2 AUX\_HTMLERR

| Data Element | Data Type   | Description  | Reference/<br>Default Values | Key  |
|--------------|-------------|--|------------------------------|------|
| AUXID        | VARCHAR(17) | Contains the ROWID value corresponding to ROWID value in ID_HTML_ROWID column of ASSIST_HTML_ERROR Table |                              | TRUE |
| AUXVER       | SMALLINT    | Version of BLOB data value in TX_HTML_PAGE column of ASSIST_HTML_ERROR table                             |                              |      |
| AUX_VALUE    | BLOB(50K)   | Contains value of the column TX_HTML_PAGE of ASSIST_HTML_ERROR TABLE. Holds up to 50K of BLOB data.      |                              |      |

### 1.11.3.3 DEBUG\_STORPROC

| Data Element      | Data Type | Description | Reference/<br>Default Values | Key  |
|-------------------|-----------|-------------|------------------------------|------|
| ID_DEBUG_STORPROC | INTEGER   |             |                              | TRUE |
| TX_ONE            | CHAR(08)  |             |                              |      |
| TX_TWO            | CHAR(100) |             |                              |      |
| TX_THREE          | CHAR(26)  |             |                              |      |

### 1.11.3.4 REF\_APP\_ERROR

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_ERR        | INTEGER   | Primary Key, Identity, System generated            | 1.12.7                       | TRUE |
| ID_TABLE_NAME | INTEGER   | foreign key from table Ref_Table_Name              | 1.12.43                      |      |
| TX_ERR_CODE   | CHAR(5)   | Error code   |                              |      |
| TX_ERR_MSG    | CHAR(70)  | Error message                                      |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.3.5 REF\_DW\_ERRORS

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_DW_ERROR   | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ERR        | INTEGER   | foreign key from table Ref_App_Error               | 1.12.7                       |      |
| TX_SESSION_ID | CHAR(25)  | Developer - session that generated the error       |                              |      |
| TX_LOGIN      | CHAR(8)   | Developer - login of worker generating error       |                              |      |
| TX_ERROR_SP   | CHAR(26)  | Developer - Errors                                 |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.3.6 REF\_HELP\_XREF


| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_DW_ERROR   | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ERR        | INTEGER   | foreign key from table Ref_App_Error               | 1.12.7                       |      |
| TX_SESSION_ID | CHAR(25)  | Developer - session that generated the error       |                              |      |
| TX_LOGIN      | CHAR(8)   | Developer - login of worker generating error       |                              |      |
| TX_ERROR_SP   | CHAR(26)  | Developer - Errors                                 |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.3.7 REF\_TABLE\_NAME

| Data Element  | Data Type | Description                             | Reference/<br>Default Values | Key  |
|---------------|-----------|---|------------------------------|------|
| ID_TABLE_NAME | INTEGER   | Primary Key, Identity, System generated | 1.12.43                      | TRUE |
| NM_TABLE      | CHAR(18)  | Developer - lists table names           |                              |      |
| DESIGNATOR    | CHAR(4)   | Developer - identifies 4 character      |                              |      |

|           |      |  |  |  |
|-----------|------|--|--|--|
|           |      | designator                                 |  |  |
| DT_ACTV   | DATE | Date the record was established.           |  |  |
| DT_INACTV | DATE | Indicates if a specific record is inactive |  |  |

#### 1.11.4 PKG\_CASE



| <b>Table Name</b>  | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>  |
|--------------------|-------------|-----------------------|---|
| CASE_FILE          | DB2         | 1.11.4.1              | Core case information. Could expand in future releases.   |
| CASE_MERGE         | DB2         | 1.11.4.2              | Merge Case information is stored in this table  |
| CASENAME           | DB2         | 1.11.4.3              | Used to hold different names associated with 1 case.  |
| DHR_NUMBER         | DB2         | 1.11.4.4              | Used to track all DHR numbers associated with a single case since a case by any other number is still a case.   |
| PIV_CASE_ASGN      | DB2         | 1.11.4.5              | Used to track assignments to the case.  |
| PIV_CASE_CNTY_ASGN | DB2         | 1.11.4.6              | Association between case and county assigned  |
| PIV_CASE_CSNM      | DB2         | 1.11.4.7              | Associates all offices/case names to a specific case since a single case could have multiple names depending on which office is currently responsible for it. |
| PIV_CASE_DHR_NMBR  | DB2         | 1.11.4.8              | Ties DHR numbers to specific case.  |
| PIV_CASE_INVS      | DB2         | 1.11.4.9              | Used to associate investigations to specific cases.   |
| PIV_CASE_LCTN      | DB2         | 1.11.4.10             | Association between case and location   |
| PIV_CASE_PHN       | DB2         | 1.11.4.11             | Association between case and phone  |
| PIV_PRTC_CASE      | DB2         | 1.11.4.12             | Association between participant and case  |
| SRCH_CASE          | DB2         | 1.11.4.13             | Contains name, location and other case data used to search for a particular case  |

| <b>Table Name (Shortcuts)</b> | <b>Target Package</b> | <b>Data Structure</b> |
|-------------------------------|-----------------------|-----------------------|
| ADRS_SCNDRY                   | PKG_LOCATION          | 1.11.9.1              |
| INVESTIGATION                 | PKG_INVESTIGATION     | 1.11.8.3              |
| LOCATION                      | PKG_LOCATION          | 1.11.9.3              |
| PARTICIPANT                   | PKG_PARTICIPANT       | 1.11.12.1             |
| PHONE                         | PKG_PHONE             | 1.11.14.1             |
| PIV_INVS_INTAKE               | PKG_INTAKE            | 1.11.7.9              |
| PIV_OFFICE_PHONE              | PKG_OFFICE            | 1.11.11.3             |
| PIV_PERSON_LCTN               | PKG_PERSON            | 1.11.13.11            |
| PIV_PRTC_INTAKE               | PKG_INTAKE            | 1.11.7.11             |
| PIV_PRTC_INVS                 | PKG_INVESTIGATION     | 1.11.8.11             |
| PIV_PRTC_PERSON               | PKG_PARTICIPANT       | 1.11.12.13            |
| PIV_WORKER_OFFICE             | PKG_WORKER            | 1.11.22.3             |
| PRTC_DETAIL                   | PKG_PARTICIPANT       | 1.11.1.4              |
| REF_OFFICE                    | PKG_REFERENCE         | 1.11.17.12            |
| REF_TYPE_ADDRESS              | PKG_REFERENCE         | 1.11.17.15            |
| REF_TYPE_ASGN                 | PKG_REFERENCE         | 1.11.17.16            |
| REF_TYPE_CASE                 | PKG_REFERENCE         | 1.11.17.17            |
| REF_TYPE_PHONE                | PKG_PHONE             | 1.11.14.2             |

#### **1.11.4.1 CASE\_FILE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CASE_FILE | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_TYPE_CASE | INTEGER   | foreign key from table ref type case               | 1.12.47                      |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.2 CASE\_MERGE**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_CASE_MERGE    | INTEGER   | Primary Key, System generated                      |                              | TRUE |
| ID_CASE_RETAINED | INTEGER   | Foreign Key, Identifies retained case.             |                              |      |
| ID_CASE_MERGED   | INTEGER   | Foreign Key, Identifies merged case.               |                              |      |
| ID_WRKR_OFC      | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV          | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.3 CASENAME**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_CASE_MERGE    | INTEGER   | Primary Key, System generated                      |                              | TRUE |
| ID_CASE_RETAINED | INTEGER   | Foreign Key, Identifies retained case.             |                              |      |
| ID_CASE_MERGED   | INTEGER   | Foreign Key, Identifies merged case.               |                              |      |
| ID_WRKR_OFC      | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV          | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.4 DHR\_NUMBER**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_DHR_NMBR  | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| TX_DHR_NMBR  | CHARACTER(15) | actual DHR number                                  |                              |      |
| DT_ACTV      | DATE          | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.5 PIV\_CASE\_ASGN**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CASE_ASGN | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE | INTEGER   | foreign key from table case                        |                              |      |
| ID_TYPE_ASGN | INTEGER   | foreign key from table ref_type_asgn               | 1.26.46                      |      |
| ID_WRKR_OFC  | INTEGER   | foreign key from table Piv_Worker_Office           |                              |      |
| TM_ACTV      | TIME      | time received assignment to case                   |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| TM_INACTV    | TIME      | time assignment ended to case                      |                              |      |

#### **1.11.4.6 PIV\_CASE\_CNTY\_ASGN**

| Data Element       | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------------|-----------|--|------------------------------|------|
| ID_CASE_CNTY_ASGND | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE       | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_OFC             | INTEGER   | Primary Key, Identity, System generated            | 1.12.29                      |      |
| DT_ACTV            | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV          | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD            | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.7 PIV\_CASE\_CSNM**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CASE_CSNM | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CSNM      | INTEGER   | foreign key from table casename                    |                              |      |
| ID_CASE_FILE | INTEGER   | foreign key from table case                        |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.8 PIV\_CASE\_DHR\_NMBR**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_CASE_DHR_NMBR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE     | INTEGER   | foreign key from table case                        |                              |      |
| ID_DHR_NMBR      | INTEGER   | foreign key from table dhr number                  |                              |      |
| ID_OFC           | INTEGER   | foreign key from table ref office                  |                              |      |
| DT_ACTV          | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

|  |  |          |  |  |
|--|--|----------|--|--|
|  |  | modified |  |  |
|--|--|----------|--|--|

#### **1.11.4.9 PIV\_CASE\_INVS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CASE_INVS | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE | INTEGER   | foreign key from table case                        |                              |      |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.10 PIV\_CASE\_LCTN**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_CASE_LCTN  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE  | INTEGER   | foreign key from table Case_File                   |                              |      |
| ID_TYPE_ADDRS | INTEGER   | foreign key from table Ref_Type_Address            | 1.12.45                      |      |
| ID_LCTN       | INTEGER   | foreign key from table Location                    |                              |      |
| DT_ACTV       | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.4.11 PIV\_CASE\_PHN**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CASE_PHN  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE | INTEGER   | foreign key from table Case_File                   |                              |      |
| ID_PHN       | INTEGER   | foreign key from table phone                       |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |


#### **1.11.4.12 PIV\_PRTC\_CASE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_CASE | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CASE_FILE | INTEGER   | foreign key from table Case_File                   |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### 1.11.4.13 SRCH\_CASE

| Data Element       | Data Type | Description   | Reference/<br>Default Values | Key  |
|--------------------|-----------|---|------------------------------|------|
| ID_SRCH_CASE       | INTEGER   | Primary Key, Identity, System generated                             |                              | TRUE |
| ID_OFC             | INTEGER   | foreign key from table ref office                                   | 1.12.29                      |      |
| ID_CSNM            | INTEGER   | foreign key from table casename                                     |                              |      |
| ID_CASE_FILE       | INTEGER   | foreign key from table case   |                              |      |
| TX_CASE_TYPE       | CHAR(1)   | Adult or Child case   |                              |      |
| TX_CSNM_LAST       | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_FIRST      | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MFONE_LAST | CHAR(10)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MFONE_FRST | CHAR(10)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_UPR_LAST   | CHAR(50)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_UPR_FRST   | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_PRVD       | CHAR(100) | part of case name not used if first, middle, and last are completed |                              |      |
| TX_CSNM_UPR_PRVD   | CHAR(100) | part of case name not used if first, middle, and last are completed |                              |      |
| TX_CSNM_MDL        | CHAR(15)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MFONE_PRVD | CHAR(20)  | part of case name not used if first, middle, and last are completed |                              |      |
| FL_RSTRCTD         | CHAR(1)   | Restricted Case or not  |                              |      |
| ID_LCTN            | INTEGER   | foreign key from table Location                                     |                              |      |
| AD_STREET          | CHAR(50)  | Street address  |                              |      |
| AD_APRT_NMBR       | CHAR(50)  | apartment, suite, PO box number                                     |                              |      |
| AD_CARE_OF         | CHAR(50)  | In care of address line.  |                              |      |
| TX_LCTN            | CHAR(50)  | text field for address info   |                              |      |
| TX_CITY            | CHAR(25)  | City name   |                              |      |
| TX_STATE           | CHAR(15)  | State person lives in   |                              |      |
| CD_ZIP             | CHAR(5)   | zip code  |                              |      |
| CD_ZIP_PLUS_FOUR   | CHAR(5)   | plus four of zip code   |                              |      |
| TX_CNTY            | CHAR(15)  | County  |                              |      |
| TX_STATUS          | CHAR(50)  | Status of the Investigation   |                              |      |

### 1.11.5 PKG\_CONTACTS




| Table Name  | Type | Data Structure | Remarks                                  |
|-------------|------|----------------|--|
| PIV_CONTACT | DB2  | 1.11.5.1       | Association between contact and location |

| Table Name (Shortcuts) | Target Package  | Data Structure |
|------------------------|-----------------|----------------|
| LOCATION               | PKG_LOCATION    | 1.11.9.3       |
| PERSON                 | PKG_PERSON      | 1.11.13.5      |
| PERSON_DETAIL          | PKG_PERSON      | 1.11.13.6      |
| PIV_PRTC_INTAKE        | PKG_INTAKE      | 1.11.7.11      |
| PIV_PTCPNT_ROLE        | PKG_ROLE        | 1.11.20.3      |
| PRTC_DETAIL            | PKG_PARTICIPANT | 1.11.12.4      |
| REF_AGENCY             | PKG_REFERENCE   | 1.11.17.2      |
| REF_INTAKE_CTGRY       | PKG_REFERENCE   | 1.11.17.10     |
| REF_OFFICE             | PKG_REFERENCE   | 1.11.17.12     |
| REF_ROLES              | PKG_ROLE        | 1.11.20.7      |
| REF_RPRT_TITLE         | PKG_REPORTS     | 1.11.19.10     |
| REF_SUFFIX             | PKG_PERSON      | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE   | 1.11.17.14     |
| REF_TYPE_ADDRESS       | PKG_REFERENCE   | 1.11.17.15     |
| REF_TYPE_CASE          | PKG_REFERENCE   | 1.11.17.17     |
| REF_TYPE_CONTACT       | PKG_REFERENCE   | 1.11.17.19     |

### 1.11.5.1 PIV\_CONTACT

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CNTC      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger   | foreign key from table Person                      |                              |      |
| ID_AGNCY     | integer   | foreign key from table Ref_Agency                  |                              |      |
| ID_OFC       | INTEGER   | foreign key from table ref office                  | 1.12.29                      |      |
| ID_TYPE_ADRS | INTEGER   | foreign key from table Ref_Type_Address            | 1.12.45                      |      |
| ID_LCTN      | INTEGER   | foreign key from table Location                    |                              |      |
| TX_CNTC      | CHAR(50)  | memo field   |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_POSITION  | INTEGER   | Primary Key, Identity, System generated            |                              |      |

### **1.11.6 PKG FRAMEWORK**



| <b>Table Name</b>  | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>  |
|--------------------|-------------|-----------------------|---|
| FWK_CAT_PRCs       | DB2         | 1.11.6.1              | Ties categories to processes  |
| FWK_CATEGORY       | DB2         | 1.11.6.2              | contains the available categories.  |
| FWK_CATEGORY_ATRB  | DB2         | 1.11.6.3              | Contains any attributes of category that are required by the framework.   |
| FWK_CATEGORY_IMAGE | DB2         | 1.11.6.4              | Contains any images associated with a specific category   |
| FWK_GRP_TO_CTGRY   | DB2         | 1.11.6.5              | Framework table used to tie the control components together and associate specific tasks with specific permission groups. |
| FWK_LEVEL_APPROVAL | DB2         | 1.11.6.6              | Framework table that will allow the required approval level to be tied to the specific process.                           |
| FWK_PRCs_SPRC      | DB2         | 1.11.6.7              | Ties specific sub-processes to specific processes   |
| FWK_PROCESS        | DB2         | 1.11.6.8              | contains the available processes.   |
| FWK_PROCESS_ATRB   | DB2         | 1.11.6.9              | Contains any attributes of process that are required by the framework.  |
| FWK_PROCESS_IMAGE  | DB2         | 1.11.6.10             | Contains any images associated with a specific process  |
| FWK_SUB_PRCs_ATRB  | DB2         | 1.11.6.11             | Contains any attributes of sub process that are required by the framework.  |
| FWK_SUB_PRCs_IMG   | DB2         | 1.11.6.12             | Contains any images associated with a specific sub process  |
| FWK_SUB_PROCESS    | DB2         | 1.11.6.13             | contains the available sub processes.   |
| FWK_TYPE_PROCESS   | DB2         | 1.11.6.14             | Framework table that I can't remember why it's here   |

| <b>Table Name (Shortcuts)</b> | <b>Target Package</b> | <b>Data Structure</b> |
|-------------------------------|-----------------------|-----------------------|
| REF_GROUP                     | PKG_WORKER            | 1.11.22.8             |
| REF_OFFICE                    | PKG_REFERENCE         | 1.11.17.12            |

### **1.11.6.1 FWK\_CAT\_PRCs**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_CAT_PRCs         | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PRCs             | INTEGER          | foreign key from table fwk_process                 |                                      |            |
| ID_RLTN             | INTEGER          | foreign key from table Fwk_Grp_to_Ctgry            |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

### **1.11.6.2 FWK\_CATEGORY**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b> | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--------------------|--------------------------------------|------------|
|                     |                  |                    |                                      |            |

|           |           |  |  |      |
|-----------|-----------|--|--|------|
| ID_CTGRY  | INTEGER   | Primary Key, Identity, System generated            |  | TRUE |
| TX_CTGRY  | CHAR(20)  | Category text                                      |  |      |
| DT_ACTV   | DATE      | Date the record was established.                   |  |      |
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |  |      |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |  |      |

#### **1.11.6.3 FWK\_CATEGORY\_ATRB**

| Data Element  | Data Type | Description   | Reference/<br>Default Values | Key  |
|---------------|-----------|---|------------------------------|------|
| ID_CTGRY_ATRB | INTEGER   | Primary Key, Identity, System generated             |                              | TRUE |
| ID_CTGRY      | INTEGER   | foreign key from table fwk_category                 |                              |      |
| CD_HRCH       | INTEGER   | Used to Identify the display order of the framework |                              |      |
| TX_JSP        | Char(255) | Category JSP name                                   |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                    |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive          |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified  |                              |      |

#### **1.11.6.4 FWK\_CATEGORY\_IMAGE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CTGRY_IMG | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CTGRY     | INTEGER   | foreign key from table fwk_category                |                              |      |
| TX_IMG_UP    | CHAR(255) | Category image up                                  |                              |      |
| TX_IMG_DOWN  | CHAR(255) | Category image down                                |                              |      |
| TX_IMG_OVER  | CHAR(255) | Category image over                                |                              |      |
| TX_IMG_PRVS  | CHAR(255) | Category image previous                            |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.6.5 FWK\_GRP\_TO\_CTGRY**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_RLTN      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CTGRY     | INTEGER   | foreign key from table fwk_category                |                              |      |
| ID_GRP       | INTEGER   | foreign key from table Ref_Group                   | 1.12.21                      |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.6.6 FWK\_LEVEL\_APPROVAL**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_LVL_APPRL        | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| TX_LVL_APPRL        | CHAR(25)         | Approval level                                     |                                      |            |
| ID_PRCS             | INTEGER          | foreign key from table fwk_process                 |                                      |            |
| ID_TYPE_PRCS        | INTEGER          | foreign key from table fwk_type_process            |                                      |            |
| ID_CTGRY            | INTEGER          | foreign key from table fwk_category                |                                      |            |
| ID_OFC              | INTEGER          | foreign key from table ref_office                  |                                      |            |
| ID_GRP              | INTEGER          | foreign key from table Ref_Group                   | 1.12.21                              |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.6.7 FWK\_PRCS\_SPRC**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_PRCS_SPRC        | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PRCS             | INTEGER          | foreign key from table fwk_process                 |                                      |            |
| ID_SUB_PRCS         | integer          | foreign key from table fwk_sub_process             |                                      |            |
| ID_GRP              | INTEGER          | foreign key from table Ref_Group                   | 1.12.21                              |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.6.8 FWK\_PROCESS**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_PRCS             | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| TX_PRCS             | CHARACTER(30)    | Process  |                                      |            |
| CD_HRCH             | INTEGER          | Defines display hierarchy                          |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.6.9 FWK\_PROCESS\_ATRB**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_PRCS_ATRB        | integer          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PRCS             | INTEGER          | foreign key from table fwk_process                 |                                      |            |
| TX_JSP              | Char(255)        | Process JSP name                                   |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

|  |  |          |  |  |
|--|--|----------|--|--|
|  |  | modified |  |  |
|--|--|----------|--|--|

#### **1.11.6.10 FWK\_PROCESS\_IMAGE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRCS_IMG  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRCS      | INTEGER   | foreign key from table fwk_process                 |                              |      |
| TX_IMG_UP    | CHAR(255) | Process image up                                   |                              |      |
| TX_IMG_DOWN  | CHAR(255) | Process image down                                 |                              |      |
| TX_IMG_OVER  | CHAR(255) | Process image over                                 |                              |      |
| TX_IMG_PRVS  | CHAR(255) | Process image previous                             |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.6.11 FWK\_SUB\_PRCS\_ATRB**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_SUB_PRCS_ATRB | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_SUB_PRCS      | integer   | foreign key from table fwk_sub_process             |                              |      |
| TX_JSP           | Char(255) | Sub process JSP name                               |                              |      |
| DT_ACTV          | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.6.12 FWK\_SUB\_PRCS\_IMG**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_SUB_PRCS_IMG | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_SUB_PRCS     | integer   | foreign key from table fwk_sub_process             |                              |      |
| TX_IMG_UP       | CHAR(255) | Sub process image up                               |                              |      |
| TX_IMG_DOWN     | CHAR(255) | Sub process image down                             |                              |      |
| TX_IMG_OVER     | CHAR(255) | Sub process image over                             |                              |      |
| TX_IMG_PRVS     | CHAR(255) | Sub process image previous                         |                              |      |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.6.13 FWK\_SUB\_PROCESS**

| Data Element | Data Type     | Description                             | Reference/<br>Default Values | Key  |
|--------------|---------------|---|------------------------------|------|
| ID_SUB_PRCS  | integer       | Primary Key, Identity, System generated |                              | TRUE |
| TX_SUB_PRCS  | character(30) | Sub process                             |                              |      |


|               |           |   |  |  |
|---------------|-----------|---|--|--|
| CD_HRCH       | INTEGER   | Defines display hierarchy                           |  |  |
| CD_CNTY_MDFBL | CHAR(1)   | Determines if the counties can modify the groupings |  |  |
| DT_ACTV       | DATE      | Date the record was established.                    |  |  |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive          |  |  |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified  |  |  |

#### **1.11.6.14 FWK\_TYPE\_PROCESS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_PRCS | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| TX_TYPE_PRCS | CHAR(20)  | Indicates the type of process                      |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.7 PKG\_INTAKE**





| <b>Table Name</b> | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>  |
|-------------------|-------------|-----------------------|---|
| APPROVAL          | DB2         | 1.11.7.1              | This table contains approval information.                   |
| INTAKE            | DB2         | 1.11.7.2              | Contains intake ID and dates to show active/inactive status |
| INTAKE_DETAIL     | DB2         | 1.11.7.3              | Contains information about the intake                       |
| PIV_ALGT_INTAKE   | DB2         | 1.11.7.4              | Association between allegation and intake                   |
| PIV_ALGT_PRPT     | DB2         | 1.11.7.5              | Association between allegation and perpetrator              |
| PIV_ALGT_VCTM     | DB2         | 1.11.7.6              | Association between allegation and                          |

|                 |     |           |  |
|-----------------|-----|-----------|--|
|                 |     |           | victim   |
| PIV_ASGN_INTAKE | DB2 | 1.11.7.8  | Association between assignment and intake  |
| PIV_INTK_APPR   | DB2 | 1.11.7.9  | Association between intake and approval  |
| PIV_INVS_INTAKE | DB2 | 1.11.7.10 | Association between investigation and intake   |
| PIV_NRTV_INTAKE | DB2 | 1.11.7.11 | Association between narrative and intake   |
| PIV_PRTC_INTAKE | DB2 | 1.11.7.12 | Association between participant and intake   |
| PIV_RLTN_INTAKE | DB2 | 1.11.7.13 | Association between victim and perpetrator   |
| PIV_VCTM_PRPT   | DB2 | 1.11.7.14 | Association between victim and perpetrator   |
| REF_REPORT_DSCR | DB2 | 1.11.7.15 | Available reporter description   |
| REF_TYPE_REPORT | DB2 | 1.11.7.16 | Available report type  |
| SRCH_INTAKE     | DB2 | 1.11.7.17 | Contains name, location and metaphone data used to search for a person in the system |

| Table Name (Shortcuts) | Target Package     | Data Structure |
|------------------------|--------------------|----------------|
| ADRS_SCNDRY            | PKG_LOCATION       | 1.11.9.1       |
| CASE_FILE              | PKG_CASE           | 1.11.4.1       |
| CASENAME               | PKG_CASE           | 1.11.4.3       |
| DHR_NUMBER             | PKG_CASE           | 1.11.4.4       |
| INCIDENT               | PKG_ALLEGATIONS    | 1.11.2.1       |
| INVESTIGATION          | PKG_INVESTIGATION  | 1.11.8.3       |
| LOCATION               | PKG_LOCATION       | 1.11.9.3       |
| NARRATIVE              | PKG_NARRATIVE      | 1.11.10.2      |
| PARTICIPANT            | PKG_PARTICIPANT    | 1.11.12.1      |
| PERSON_DETAIL          | PKG_PERSON         | 1.11.13.6      |
| PIV_ALLEGATION         | PKG_ALLEGATIONS    | 1.11.2.2       |
| PIV_ASGN_INVS          | PKG_INVESTIGATION  | 1.11.8.5       |
| PIV_CASE_CSNM          | PKG_CASE           | 1.11.4.7       |
| PIV_CASE_DHR_NMBR      | PKG_CASE           | 1.11.4.8       |
| PIV_CASE_INVS          | PKG_CASE           | 1.11.4.9       |
| PIV_INTK_RCMN          | PKG_RECOMMENDATION | 1.11.16.2      |
| PIV_INVS_APPR          | PKG_INVESTIGATION  | 1.11.8.8       |
| PIV_PERSON_LCTN        | PKG_PERSON         | 1.11.13.11     |
| PIV_PRTC_MLTRY         | PKG_ROLE           | 1.11.20.2      |
| PIV_PRTC_PERSON        | PKG_PARTICIPANT    | 1.11.12.3      |
| PIV_PRTC_RLTN          | PKG_RELATIONSHIPS  | 1.11.18.1      |
| PIV_PRTCPNT_ROLE       | PKG_ROLE           | 1.11.20.3      |
| PIV_RPRT_HSTRY         | PKG_REPORTS        | 1.11.19.3      |
| PIV_RPRT_INTK          | PKG_REPORTS        | 1.11.19.4      |
| PIV_WORKER_GROUP       | PKG_WORKER         | 1.11.22.2      |
| PIV_WORKER_OFFICE      | PKG_WORKER         | 1.11.22.3      |
| PIV_WRKR_SPRVSR        | PKG_WORKER         | 1.11.22.6      |
| PRTC_DETAIL            | PKG_PARTICIPANT    | 1.11.12.4      |
| RECOMMENDATION         | PKG_RECOMMENDATION | 1.11.16.7      |

|                     |                    |            |
|---------------------|--------------------|------------|
| REF_ANE_CODE        | PKG_ALLEGATIONS    | 1.11.2.3   |
| REF_ANE_DESCRIPTION | PKG_ALLEGATIONS    | 1.11.2.4   |
| Ref_Checklist       | PKG_REFERENCE      | 1.11.17.3  |
| REF_CHOICE          | PKG_REFERENCE      | 1.11.17.4  |
| REF_CONTACT_METHOD  | PKG_REFERENCE      | 1.11.17.6  |
| REF_CTGRY_INTERVAL  | PKG_REFERENCE      | 1.11.17.7  |
| REF_DECISION        | PKG_REFERENCE      | 1.11.17.8  |
| REF_GROUP           | PKG_WORKER         | 1.11.22.8  |
| REF_INTAKE_CTGRY    | PKG_REFERENCE      | 1.11.17.10 |
| REF_MILITARY        | PKG_ROLE           | 1.11.20.4  |
| REF_OFFICE          | PKG_REFERENCE      | 1.11.17.12 |
| REF_PERSPECTIVE     | PKG_ROLE           | 1.11.20.5  |
| REF_RELATIONSHIP    | PKG_RELATIONSHIPS  | 1.11.18.2  |
| REF_REPORTER_DESC   | PKG_ROLE           | 1.11.20.6  |
| REF_ROLES           | PKG_ROLE           | 1.11.20.7  |
| REF_RPRT_TITLE      | PKG_REPORTS        | 1.11.19.10 |
| REF_SUFFIX          | PKG_PERSON         | 1.11.13.28 |
| REF_TITLE           | PKG_REFERENCE      | 1.11.17.14 |
| REF_TYPE_ADDRESS    | PKG_REFERENCE      | 1.11.17.15 |
| REF_TYPE_ASGN       | PKG_REFERENCE      | 1.11.17.16 |
| REF_TYPE_CASE       | PKG_REFERENCE      | 1.11.17.17 |
| REF_TYPE_DECISION   | PKG_REFERENCE      | 1.11.17.20 |
| REF_TYPE_DSCR       | PKG_RECOMMENDATION | 1.11.16.9  |
| REF_TYPE_FACTOR     | PKG_RECOMMENDATION | 1.11.16.10 |
| REF_TYPE_INTERVAL   | PKG_REFERENCE      | 1.11.17.21 |
| REF_TYPE_NARRATIVE  | PKG_NARRATIVE      | 1.11.10.4  |
| REF_TYPE_PRTC       | PKG_PARTICIPANT    | 1.11.12.4  |
| REPORTER_INFRMTN    | PKG_ROLE           | 1.11.20.8  |
| WRKR_DETAIL         | PKG_WORKER         | 1.11.20.12 |

### 1.11.7.1 APPROVAL

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_APRV      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_DCSN      | INTEGER   | foreign key from table Ref_Decision                | 1.12.17                      |      |
| ID_WRKR_OFC  | INTEGER   | foreign key from table Piv_Worker_Office           |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.7.2 INTAKE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INTK      | integer   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

|  |  |          |  |  |
|--|--|----------|--|--|
|  |  | modified |  |  |
|--|--|----------|--|--|

### 1.11.7.3 INTAKE\_DETAIL

| Data Element   | Data Type | Description   | Reference/<br>Default Values | Key  |
|----------------|-----------|---|------------------------------|------|
| ID_INTK_DETAIL | INTEGER   | Primary Key, Identity, System generated                             |                              | TRUE |
| ID_INTK        | INTEGER   | foreign key from table Intake                                       |                              |      |
| ID_TYPE_RPRT   | INTEGER   | foreign key from table Ref_Type_Report                              | 1.12.60                      |      |
| ID_RPRT_DSCR   | INTEGER   | foreign key from table Ref_Report_Dscr                              | 1.12.36                      |      |
| ID_INTK_CTGRY  | INTEGER   | foreign key from table Ref_Intake_Ctgyr                             | 1.12.24                      |      |
| ID_CNTC_MTHD   | INTEGER   | foreign key from table Ref_Contact_Method                           | 1.12.14                      |      |
| DT_INTK        | DATE      | Date of the intake  |                              |      |
| TM_INTK        | TIME      | Time Intake received  |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                                    |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive                          |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified                  |                              |      |
| TX_CSNM_LAST   | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_FRST   | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MDL    | CHAR(15)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_PRVD   | CHAR(100) | part of case name not used if first, middle, and last are completed |                              |      |
| NO_MCRFLM_NMBR | INTEGER   | Microfilm number  |                              |      |
| TX_DHR_NMBR    | CHAR(10)  | Case DHR Number   |                              |      |

### 1.11.7.4 PIV\_ALGT\_INTAKE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ALGT_INTK | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| ID_ALGT      | INTEGER   | foreign key from table Piv_Allegation              |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.7.5 PIV\_ALGT\_PRPT

| Data Element | Data Type | Description                                | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ALGT_PRPT | INTEGER   | Primary Key, Identity, System generated    |                              | TRUE |
| ID_ALGT      | INTEGER   | foreign key from table Piv_Allegation      |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant         |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive |                              |      |

|         |           |  |  |  |
|---------|-----------|--|--|--|
| TS_MDFD | TIMESTAMP | Indicates when a specific record was last modified |  |  |
|---------|-----------|--|--|--|

### **1.11.7.6 PIV\_ALGT\_VCTM**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ALGT_VCTM | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ALGT      | INTEGER   | foreign key from table Piv_Allegation              |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.7.7 PIV\_ASGN\_INTAKE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ASGN_INTK | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| ID_TYPE_ASGN | INTEGER   | foreign key from table ref type asgn               | 1.12.46                      |      |
| ID_WRKR_OFC  | INTEGER   | foreign key from table Piv_Worker_Office           |                              |      |
| TM_ACTV      | TIME      | time received assignment to intake                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| TM_INACTV    | TIME      | time assignment ended to intake                    |                              |      |

### **1.11.7.8 PIV\_INTK\_APPR**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_PIV_INTK_APPR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INTK          | integer   | foreign key from table Intake                      |                              |      |
| ID_APPR          | INTEGER   | foreign key from table Approval                    |                              |      |
| DT_ACTV          | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.7.9 PIV\_INVS\_INTAKE**

| Data Element | Data Type | Description                              | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS_INTK | INTEGER   | Primary Key, Identity, System generated  |                              | TRUE |
| ID_INTK      | integer   | foreign key from table Intake            |                              |      |
| ID_INVS      | INTEGER   | foreign key from table Investigation     |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active |                              |      |

|           |           |  |  |  |
|-----------|-----------|--|--|--|
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |  |  |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |  |  |

#### **1.11.7.10 PIV\_NRTV\_INTAKE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_NRTV_INTK | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| ID_NRTV      | INTEGER   | foreign key from table Narrative                   |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.7.11 PIV\_PRTC\_INTAKE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_INTK | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INTK      | Integer   | foreign key from table Intake                      |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.7.12 PIV\_RLTN\_INTAKE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_RLTN_INTK | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRTC_RLTN | INTEGER   | foreign key from table Piv_Prtc_Rltn               |                              |      |
| ID_INTK      | Integer   | foreign key from table Intake                      |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.7.13 PIV\_VCTM\_PRPT**

| Data Element | Data Type | Description                                | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_VCTM_PRPT | INTEGER   | Primary Key, Identity, System generated    |                              | TRUE |
| ID_ALGT_VCTM | INTEGER   | foreign key from table Piv_Algt_Vctm       |                              |      |
| ID_ALGT_PRPT | INTEGER   | foreign key from table Piv_Algt_Prpt       |                              |      |
| ID_RLTN      | INTEGER   | foreign key from table Ref_Relationship    | 1.12.33                      |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive |                              |      |

|         |           |  |  |  |
|---------|-----------|--|--|--|
| TS_MDFD | TIMESTAMP | Indicates when a specific record was last modified |  |  |
|---------|-----------|--|--|--|

#### **1.11.7.14 REF\_REPORT\_DSCR**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_RPRT_DSCR | INTEGER       | Primary Key, Identity, System generated            | 1.12.36                      |      |
| ID_TYPE_RPRT | INTEGER       | foreign key from table Ref_Type_Report             | 1.12.60                      |      |
| TX_RPRT_DSCR | CHARacter(60) | Report Description values                          |                              | TRUE |
| DT_ACTV      | DATE          | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### **1.11.7.15 REF\_TYPE\_REPORT**

| Data Element   | Data Type     | Description  | Reference/<br>Default Values | Key  |
|----------------|---------------|--|------------------------------|------|
| ID_TYPE_RPRT   | INTEGER       | Primary Key, Identity, System generated            | 1.12.60                      | TRUE |
| ID_INTK_CTCGRY | INTEGER       | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| TX_TYPE_RPRT   | CHARacter(40) | type report values                                 |                              |      |
| CD_ADLT_CHLD   | CHARacter(1)  | Adult or child indicator                           |                              |      |
| DT_ACTV        | DATE          | Indicates if a specific record is active           |                              |      |
| DT_INACTV      | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |


#### **1.11.7.16 SRCH\_INTAKE**

| Data Element       | Data Type | Description   | Reference/<br>Default Values | Key  |
|--------------------|-----------|---|------------------------------|------|
| ID_SRCH_INTK       | INTEGER   | Primary Key, Identity, System generated                             |                              | TRUE |
| ID_INTK            | INTEGER   | foreign key from table Intake                                       |                              |      |
| TX_CSNM_LAST       | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_FIRST      | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MFONE_LAST | CHAR(10)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_MFONE_FRST | CHAR(10)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_UPR_LAST   | CHAR(50)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_UPR_FRST   | CHAR(20)  | part of case name not used if provider is completed                 |                              |      |
| TX_CSNM_PRVD       | CHAR(100) | part of case name not used if first, middle, and last are completed |                              |      |
| TX_CSNM_UPR_PRVD   | CHAR(100) | part of case name not used if first, middle, and last are completed |                              |      |
| TX_CSNM_MDL        | CHAR(15)  | part of case name not used if provider is completed                 |                              |      |

|                    |          |   |  |  |
|--------------------|----------|---|--|--|
| TX_CSNM_MFONE_PRVD | CHAR(20) | part of case name not used if first, middle, and last are completed |  |  |
| FL_RSTRCTD         | INTEGER  | Restricted Intake or not  |  |  |
| TX_STATUS          | CHAR(50) | Status of the Intake  |  |  |
| TX_DHR_NMBR        | CHAR(10) | DHR case number   |  |  |
| TX_OFC             | CHAR(50) | Office that initiated Intake  |  |  |
| AD_STREET          | CHAR(50) | Street address  |  |  |
| AD_APRT_NMBR       | CHAR(50) | apartment, suite, PO box number                                     |  |  |
| AD_CARE_OF         | CHAR(50) | In care of address line.  |  |  |
| TX_LCTN            | CHAR(50) | text field for address info   |  |  |
| TX_CITY            | CHAR(25) | City name   |  |  |
| TX_STATE           | CHAR(15) | State person lives in   |  |  |
| CD_ZIP             | CHAR(5)  | zip code  |  |  |
| CD_ZIP_PLUS_FOUR   | CHAR(5)  | plus four of zip code   |  |  |
| TX_CNTY            | CHAR(15) | County  |  |  |

### **1.11.8 PGK INVESTIGATION**





| <b>Table Name</b>  | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>   |
|--------------------|-------------|-----------------------|--|
| DISPOSITION_PRPT   | DB2         | 1.11.8.1              | Contains information on the perpetrator's disposition in a case    |
| DISPOSITION_VICTIM | DB2         | 1.11.8.2              | Contains information about the victim, allegation and decision     |
| INVESTIGATION      | DB2         | 1.11.8.3              | Contains investigation ID and dates to show active/inactive status |
| INVS_DETAIL        | DB2         | 1.11.8.4              | Contains information about the investigation                       |
| PIV_ALGT_INVS      | DB2         | 1.11.8.5              | Associates the allegation with the investigation                   |
| PIV_ASGN_INVS      | DB2         | 1.11.8.6              | Associates the assignment with the investigation                   |
| PIV_CAN_INVS_NRTV  | DB2         | 1.11.8.7              | Associates the CAN event to the investigation and narrative        |
| PIV_INVS_APPRV     | DB2         | 1.11.8.8              | Associates the investigation to the approval                       |
| PIV_INVS_NARRATIVE | DB2         | 1.11.8.9              | Associates the investigation to the narrative                      |
| PIV_NRTV_CONTACT   | DB2         | 1.11.8.10             | Associates the narrative to the contact information                |
| PIV_PRTC_INVS      | DB2         | 1.11.8.11             | Associates the participant to the investigation                    |
| PIV_PRTC_NRTV      | DB2         | 1.11.8.12             | Associates the participant to the narrative                        |

|                    |     |           |  |
|--------------------|-----|-----------|--|
|                    |     |           | narrative  |
| PIV_RLTN_INVS      | DB2 | 1.11.8.13 | Associates the investigation to the participant relationship |
| PIV_SFTY_PLAN      | DB2 | 1.11.8.14 | Associates the safety plan to the investigation              |
| REF_TYPE_SAFETY_PL | DB2 | 1.11.8.15 | REFERENCE DATA TO IDENTIFY TYPE OF SAFETY PLAN               |
| SMRY_ASSESSMENT    | DB2 | 1.11.8.16 |  |
| SMRY_INVESTIGATION | DB2 | 1.11.8.17 |  |

| Table Name (Shortcuts) | Target Package     | Data Structure |
|------------------------|--------------------|----------------|
| ADRS_SCNDRY            | PKG_LOCATION       | 1.11.9.1       |
| APPROVAL               | PKG_INTAKE         | 1.11.7.1       |
| CASE_FILE              | PKG_CASE           | 1.11.4.1       |
| CASENAME               | PKG_CASE           | 1.11.4.3       |
| DHR_NUMBER             | PKG_CASE           | 1.11.4.4       |
| INCIDENT               | PKG_ALLEGATIONS    | 1.11.2.1       |
| INTAKE                 | PKG_INTAKE         | 1.11.7.2       |
| INTAKE_DETAIL          | PKG_INTAKE         | 1.11.7.3       |
| LOCATION               | PKG_LOCATION       | 1.11.9.3       |
| NARRATIVE              | PKG_NARRATIVE      | 1.11.10.2      |
| OTHER_PERSON_INFO      | PKG_PERSON         | 1.11.13.4      |
| PARTICIPANT            | PKG_PARTICIPANT    | 1.11.12.1      |
| PERSON_DETAIL          | PKG_PERSON         | 1.11.13.6      |
| PIV_ADLT_RISK_ASSM     | PKG_ADULT_RISK     | 1.11.1.1       |
| PIV_ADLT_RISK_RSN      | PKG_ADULT_RISK     | 1.11.1.2       |
| PIV_ALGT_INTAKE        | PKG_INTAKE         | 1.11.7.4       |
| PIV_ALGT_PRPT          | PKG_INTAKE         | 1.11.7.5       |
| PIV_ALGT_VCTM          | PKG_INTAKE         | 1.11.7.6       |
| PIV_ALLEGATION         | PKG_ALLEGATIONS    | 1.11.2.2       |
| PIV_ASGN_INTAKE        | PKG_INTAKE         | 1.11.7.7       |
| PIV_CASE_CSNM          | PKG_CASE           | 1.11.4.7       |
| PIV_CASE_DHR_NMBR      | PKG_CASE           | 1.11.4.8       |
| PIV_CASE_INVS          | PKG_CASE           | 1.11.4.9       |
| PIV_CONTACT            | PKG_CONTACTS       | 1.11.5.1       |
| PIV_INTK_APPR          | PKG_INTAKE         | 1.11.7.8       |
| PIV_INTK_NTFC          | PKG_RECOMMENDATION | 1.11.16.1      |
| PIV_INVS_INTAKE        | PKG_INTAKE         | 1.11.7.9       |
| PIV_INVS_NTFC          | PKG_RECOMMENDATION | 1.11.16.3      |
| PIV_INVS_RCMN          | PKG_RECOMMENDATION | 1.11.16.4      |
| PIV_INVS_ROLE          | PKG_ROLE           | 1.11.20.1      |
| PIV_NOTIFICATION       | PKG_RECOMMENDATION | 1.11.16.5      |
| PIV_NRTV_INTAKE        | PKG_INTAKE         | 1.11.7.10      |
| PIV_PERSON_LCTN        | PKG_PERSON         | 1.11.13.11     |
| PIV_PRTC_CASE          | PKG_CASE           | 1.11.4.12      |
| PIV_PRTC_INTAKE        | PKG_INTAKE         | 1.11.7.11      |
| PIV_PRTC_MLTRY         | PKG_ROLE           | 1.11.20.2      |
| PIV_PRTC_PERSON        | PKG_PARTICIPANT    | 1.11.12.3      |
| PIV_PRTC_RLTN          | PKG_RELATIONSHIPS  | 1.11.18.1      |
| PIV_PTCPNT_ROLE        | PKG_ROLE           | 1.11.20.3      |

|                     |                    |            |
|---------------------|--------------------|------------|
| PIV_RCMD_DSCR       | PKG_RECOMMENDATION | 1.11.16.6  |
| PIV_RLTN_INTAKE     | PKG_INTAKE         | 1.11.7.12  |
| PIV_VCTM_PRPT       | PKG_INTAKE         | 1.11.7.13  |
| PIV_WORKER_GROUP    | PKG_WORKER         | 1.11.22.2  |
| PIV_WORKER_OFFICE   | PKG_WORKER         | 1.11.22.3  |
| PIV_WRKR_SPRVSR     | PKG_WORKER         | 1.11.22.6  |
| PRTC_DETAIL         | PKG_PARTICIPANT    | 1.11.12.4  |
| RECOMMENDATION      | PKG_RECOMMENDATION | 1.11.16.7  |
| REF_ACTION          | PKG_REFERENCE      | 1.11.17.1  |
| REF_AGENCY          | PKG_REFERENCE      | 1.11.17.2  |
| REF_ANE_CODE        | PKG_ALLEGATIONS    | 1.11.2.3   |
| REF_ANE_DESCRIPTION | PKG_ALLEGATIONS    | 1.11.2.4   |
| Ref_Checklist       | PKG_REFERENCE      | 1.11.17.3  |
| REF_CHOICE          | PKG_REFERENCE      | 1.11.17.4  |
| REF_CONTACT_LCTN    | PKG_REFERENCE      | 1.11.17.5  |
| REF_CONTACT_METHOD  | PKG_REFERENCE      | 1.11.17.6  |
| REF_CTGRY_INTERVAL  | PKG_REFERENCE      | 1.11.17.7  |
| REF_DECISION        | PKG_REFERENCE      | 1.11.17.8  |
| REF_GROUP           | PKG_WORKER         | 1.11.22.8  |
| REF_INTAKE_CTGRY    | PKG_REFERENCE      | 1.11.17.10 |
| REF_MILITARY        | PKG_ROLE           | 1.11.20.4  |
| REF_OFFICE          | PKG_REFERENCE      | 1.11.17.12 |
| REF_PERSPECTIVE     | PKG_ROLE           | 1.11.20.5  |
| REF_REASON          | PKG_REFERENCE      | 1.11.17.13 |
| REF_RELATIONSHIP    | PKG_RELATIONSHIPS  | 1.11.18.2  |
| REF_REPORT_DSCR     | PKG_INTAKE         | 1.11.7.14  |
| REF_REPORTER_DESC   | PKG_ROLE           | 1.11.20.6  |
| REF_ROLES           | PKG_ROLE           | 1.11.20.7  |
| REF_RSTRCTN_RSN     | PKG_RECOMMENDATION | 1.11.16.8  |
| REF_SUFFIX          | PKG_PERSON         | 1.11.13.28 |
| REF_TITLE           | PKG_REFERENCE      | 1.11.3.7   |
| REF_TYPE_ADDRESS    | PKG_REFERENCE      | 1.11.17.15 |
| REF_TYPE_ASGN       | PKG_REFERENCE      | 1.11.17.16 |
| REF_TYPE_CASE       | PKG_REFERENCE      | 1.11.17.17 |
| REF_TYPE_CATEGORY   | PKG_REFERENCE      | 1.11.17.18 |
| REF_TYPE_CONTACT    | PKG_REFERENCE      | 1.11.17.19 |
| REF_TYPE_DECISION   | PKG_REFERENCE      | 1.11.17.20 |
| REF_TYPE_DSCR       | PKG_RECOMMENDATION | 1.11.16.9  |
| REF_TYPE_FACTOR     | PKG_RECOMMENDATION | 1.11.16.10 |
| REF_TYPE_INTERVAL   | PKG_REFERENCE      | 1.11.17.21 |
| REF_TYPE_NARRATIVE  | PKG_NARRATIVE      | 1.11.10.4  |
| REF_TYPE_PRTC       | PKG_PARTICIPANT    | 1.11.12.4  |
| REF_TYPE_REPORT     | PKG_INTAKE         | 1.11.7.15  |
| REPORTER_INFRMTN    | PKG_ROLE           | 1.11.20.8  |
| WRKR_DETAIL         | PKG_WORKER         | 1.11.22.12 |

### 1.11.8.1 **DISPOSITION\_PRPT**

| Data Element | Data Type | Description | Reference/<br>Default Values | Key |
|--------------|-----------|-------------|------------------------------|-----|
|--------------|-----------|-------------|------------------------------|-----|

|              |           |  |         |      |
|--------------|-----------|--|---------|------|
| ID_DISP_PRPT | INTEGER   | Primary Key, Identity, System generated            |         | TRUE |
| ID_DCSN      | INTEGER   | foreign key from table Ref_Decision                | 1.12.17 |      |
| ID_VCTM_PRPT | INTEGER   | Primary Key, Identity, System generated            |         |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |         |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |         |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |         |      |

#### **1.11.8.2 DISPOSITION\_VICTIM**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_DISP_VCTM | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ALGT_VCTM | INTEGER   | foreign key from table Piv_Algt_Vctm               |                              |      |
| ID_DCSN      | INTEGER   | foreign key from table Ref_Decision                | 1.12.17                      |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.8.3 INVESTIGATION**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.8.4 INVS\_DETAIL**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_INVS_DETAIL    | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS           | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV           | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_TYPE_SFTY_PLAN | INTEGER   | Primary Key: system generated                      |                              |      |
| ID_DCSN           | INTEGER   | Primary Key, Identity, System generated            | 1.12.17                      |      |
| DT_SFTY_PLAN_CMPL | DATE      | Date the safety plan was completed                 |                              |      |
| DT_HRNG_RQST      | DATE      | date a hearing was requested                       |                              |      |
| DT_RCD_RVW_RQST   | DATE      | date a review was requested                        |                              |      |

#### **1.11.8.5 PIV\_ALGT\_INVS**

| Data Element | Data Type | Description | Reference/<br>Default Values | Key |
|--------------|-----------|-------------|------------------------------|-----|
|              |           |             |                              |     |

|              |           |  |  |      |
|--------------|-----------|--|--|------|
| ID_ALGT_INVS | INTEGER   | Primary Key, Identity, System generated            |  | TRUE |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |  |      |
| ID_ALGT      | INTEGER   | foreign key from table Piv_Allegation              |  |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |  |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |  |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |  |      |

### **1.11.8.6 PIV\_ASgn\_INVS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_ASgn_INVS | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_TYPE_ASgn | INTEGER   | foreign key from table ref type asgn               | 1.12.46                      |      |
| ID_WRKR_OFC  | INTEGER   | foreign key from table Piv_Worker_Office           |                              |      |
| TM_ACTV      | TIME      | time received assignment to investigation          |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| TM_INACTV    | TIME      | time assignment ended to investigation             |                              |      |

### **1.11.8.7 PIV\_CAN\_INVS\_NRTV**

| Data Element     | Data Type | Description                   | Reference/<br>Default Values | Key  |
|------------------|-----------|-------------------------------|------------------------------|------|
| ID_CAN_INVS_NRTV | INTEGER   | Primary Key: system generated |                              | TRUE |
| ID_CAN_EVNT      | INTEGER   |                               |                              |      |
| ID_INVS_NRTV     | INTEGER   |                               |                              |      |

### **1.11.8.8 PIV\_INVS\_APPR**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_PIV_INVS_APPR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS          | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_APPR          | INTEGER   | foreign key from table Approval                    |                              |      |
| DT_ACTV          | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.8.9 PIV\_INVS\_NARRATIVE**

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_INVS_NRTV | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |
| ID_INVS      | INTEGER   | foreign key from table Investigation    |                              |      |
| ID_NRTV      | INTEGER   | foreign key from table Narrative        |                              |      |

|           |           |  |  |  |
|-----------|-----------|--|--|--|
| DT_ACTV   | DATE      | Indicates if a specific record is active           |  |  |
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |  |  |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |  |  |

#### **1.11.8.10 PIV\_NRTV\_CONTACT**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_NRTV_CONTACT | Integer   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS_NRTV    | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_CNTC_MTHD    | INTEGER   | Primary Key, Identity, System generated            | 1.12.14                      |      |
| ID_CNTC_LCTN    | INTEGER   | Primary Key, Identity, System generated            | 1.12.13                      |      |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| DT_OCRD         | DATE      | Date the contact occurred                          |                              |      |
| TM_OCRD         | TIME      | Time the contact occurred                          |                              |      |

#### **1.11.8.11 PIV\_PRTC\_INVS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_INVS | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.8.12 PIV\_PRTC\_NRTV**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_NRTV | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_INVS_NRTV | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.8.13 PIV\_RLTN\_INVS**

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_RLTN_INVS | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |
| ID_INVS      | INTEGER   | foreign key from table Investigation    |                              |      |

|              |           |  |  |  |
|--------------|-----------|--|--|--|
| ID_PRTC_RLTN | INTEGER   | foreign key from table Piv_Prtc_Rltn               |  |  |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |  |  |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |  |  |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |  |  |

#### **1.11.8.14 PIV\_SFTY\_PLAN**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_SFTY_PLAN      | INTEGER   | ID code of the safety plan                         |                              | TRUE |
| ID_INVS           | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_TYPE_SFTY_PLAN | INTEGER   | Primary Key: system generated                      | 1.12.61                      |      |
| ID_ACTION         | INTEGER   | ID code of the action taken                        | 1.12.1                       |      |
| DT_ACTV           | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| DT_SFTY_PLAN_CMPL | DATE      | Date the safety plan is completed                  |                              |      |

#### **1.11.8.15 REF\_TYPE\_SAFETY\_PL**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_TYPE_SFTY_PLAN | INTEGER   | Primary Key: system generated                      | 1.12.61                      | TRUE |
| TX_TYPE_SFTY_PLAN | CHAR(50)  | Text field contains Type of Safety Plan            |                              |      |
| DT_ACTV           | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.8.16 SMRY\_ASSESSMENT**


| Data Element       | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------------|-----------|--|------------------------------|------|
| ID_SMRY_ASSESSMENT | INTEGER   | Primary Key: system generated                                |                              | TRUE |
| ID_CASE            | INTEGER   | ID of the case   |                              |      |
| ID_INVS            | INTEGER   | ID of the investigation                                      |                              |      |
| ID_WRKR            | INTEGER   | ID of the worker assigned to the case                        |                              |      |
| ID_OFC             | INTEGER   | ID of the office   | 1.12.29                      |      |
| TX_PRI_WRKR        | CHAR(55)  |  |                              |      |
| TX_DECISION        | CHAR(50)  | Text field contains the decision in the case                 |                              |      |
| TS_INVS            | TIMESTAMP |  |                              |      |
| TX_TYPE_CASE       | CHAR(25)  | Text field contains the type of case (CAN, Prevention, etc.) |                              |      |
| DT_ACTV            | DATE      | Indicates if a specific record is active                     |                              |      |
| DT_INACTV          | DATE      | Indicates if a specific record is inactive                   |                              |      |
| TS_MDFD            | TIMESTAMP | Indicates when a specific record was last modified           |                              |      |
| TX_CSNM_PRVD       | CHAR(100) |  |                              |      |

|               |          |                                 |  |  |
|---------------|----------|---------------------------------|--|--|
| TX_CSNM_MDL   | CHAR(15) | Text field contains middle name |  |  |
| TX_CSNM_FRST  | CHAR(20) | Text field contains first name  |  |  |
| TX_CSNM_LAST  | CHAR(20) | Text field contains last name   |  |  |
| FL_RESTRICTED | CHAR(1)  |                                 |  |  |
| FL_CONTACT    | CHAR(1)  |                                 |  |  |
| FL_FLAG       | CHAR(1)  |                                 |  |  |

#### **1.11.8.17      SMRY\_INVESTIGATION**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.9 PKG\_LOCATION



| Table Name   | Type | Data Structure | Remarks                                |
|--------------|------|----------------|--|
| ADRS_SCNDRY  | DB2  | 1.11.9.1       | Contains secondary address information |
| LCTN_VERIFY  | DB2  | 1.11.9.2       | Contains address information           |
| LOCATION     | DB2  | 1.11.9.3       | Contains address information           |
| REF_CITY     | DB2  | 1.11.9.4       | Available cities                       |
| REF_COUNTY   | DB2  | 1.11.9.5       | Available counties                     |
| REF_STATE    | DB2  | 1.11.9.6       | Available states                       |
| REF_ZIP_CODE | DB2  | 1.11.9.7       | Available zip codes                    |

#### 1.11.9.1 ADRS\_SCNDRY

| Data Element   | Data Type | Description                             | Reference/<br>Default Values | Key  |
|----------------|-----------|---|------------------------------|------|
| ID_ADRS_SCNDRY | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |

|              |                |  |  |  |
|--------------|----------------|--|--|--|
| ID_LCTN      | INTEGER        | foreign key from table Location                    |  |  |
| DT_ACTV      | DATE           | Date the record was established.                   |  |  |
| DT_INACTV    | DATE           | Indicates if a specific record is inactive         |  |  |
| TS_MDFD      | TIMESTAMP      | Indicates when a specific record was last modified |  |  |
| AD_APRT_NMBR | CHARacter(50)  | apartment, suite, PO box number                    |  |  |
| AD_CARE_OF   | CHARacter(50)  | In care of address line.                           |  |  |
| TX_LCTN      | CHARacter(100) | Text field for whatever                            |  |  |
| TX_CNTY      | CHARacter(15)  | County   |  |  |

### 1.11.9.2 LCTN\_VERIFY

| Data Element | Data Type      | Description  | Reference/<br>Default Values | Key  |
|--------------|----------------|--|------------------------------|------|
| ID_LCTN_ADRS | INTEGER        | Primary Key, Identity, System generated            |                              | TRUE |
| AD_STREET    | CHARacter(50)  | Street address                                     |                              |      |
| DT_ACTV      | DATE           | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE           | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP      | Indicates when a specific record was last modified |                              |      |
| ID_ZIP       | INTEGER        | foreign key from table Ref_Zip_Code                |                              |      |
| AD_APRT_NMBR | CHARacter(50)  | apartment, suite, PO box number                    |                              |      |
| AD_CARE_OF   | CHARacter(50)  | In care of address line.                           |                              |      |
| TX_LCTN      | CHARacter(100) | memo field   |                              |      |

### 1.11.9.3 LOCATION

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_LCTN      | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| AD_STREET    | CHARacter(50) | Street address                                     |                              |      |
| TX_CITY      | CHAR(25)      | city   |                              |      |
| CD_STATE     | CHAR(2)       | state abbreviation                                 |                              |      |
| CD_ZIP       | CHARacter(5)  | zipcode  |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| CD_PLUS_FOUR | CHARACTER(4)  | plus four of zipcode                               |                              |      |
| DT_VERIFIED  | DATE          | DATE LOCATION VERIFIED                             |                              |      |

### 1.11.9.4 REF\_CITY

| Data Element | Data Type | Description                                | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CITY      | INTEGER   | Primary Key, Identity, System generated    |                              | TRUE |
| TX_CITY      | CHAR(25)  | City name                                  |                              |      |
| DT_ACTV      | DATE      | Date the record was established.           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive |                              |      |

|         |           |  |  |  |
|---------|-----------|--|--|--|
| TS_MDFD | TIMESTAMP | Indicates when a specific record was last modified |  |  |
|---------|-----------|--|--|--|

### 1.11.9.5 REF\_COUNTY

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_CNTY      | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| TX_CNTY      | CHARacter(15) | County   |                              |      |
| CD_FIPS      | char(5)       | USPO Code  |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |


### 1.11.9.6 REF\_STATE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_STATE     | INTEGER   | Primary Key, Identity, System generated            | 1.12.41                      | TRUE |
| TX_STATE     | CHAR(15)  | State values                                       |                              |      |
| CD_STATE     | CHAR(2)   | state abbreviation                                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.9.7 REF\_ZIP\_CODE

| Data Element     | Data Type    | Description  | Reference/<br>Default Values | Key  |
|------------------|--------------|--|------------------------------|------|
| ID_ZIP           | INTEGER      | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CNTY          | INTEGER      | foreign key from table Ref_County                  |                              |      |
| ID_CITY          | INTEGER      | foreign key from table Ref_City                    |                              |      |
| ID_STATE         | INTEGER      | foreign key from table Ref_State                   |                              |      |
| CD_ZIP           | CHARacter(5) | zipcode  |                              |      |
| DT_ACTV          | DATE         | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE         | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP    | Indicates when a specific record was last modified |                              |      |
| CD_ZIP_PLUS_FOUR | Char(4)      | plus four of zipcode                               |                              |      |
| CD_REGION        | INTEGER      | USPO Code  |                              |      |

## 1.11.10 PKG\_NARRATIVE



| Table Name      | Type | Data Structure | Remarks  |
|-----------------|------|----------------|--|
| AUX_NARRATIVE   | DB2  | 1.11.10.1      | DO NOT GENERATE THIS TABLE. Contained in the End Script of the Parent table. Auxiliary table that stores the value of BLOB column TX_NRTV of NARRATIVE table |
| NARRATIVE       | DB2  | 1.11.10.2      | Contains information in BLOB form entered about the case   |
| NARRATIVE_HSTRY | DB2  | 1.11.10.3      | Associates current narrative with an   |

|                    |     |           |  |
|--------------------|-----|-----------|--|
| REF_TYPE_NARRATIVE | DB2 | 1.11.10.4 | old narrative<br>Used to identify the narrative type.<br>(Include type for 'correspondence') |
|--------------------|-----|-----------|--|

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| PERSON_DETAIL          | PKG_PERSON     | 1.11.12.4      |
| REF_INTAKE_CTGRY       | PKG_REFERENCE  | 1.11.17.10     |
| REF_SUFFIX             | PKG_PERSON     | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE  | 1.11.3.7       |
| WORKER                 | PKG_WORKER     | 1.11.22.11     |
| WRKR_DETAIL            | PKG_WORKER     | 1.11.22.12     |

### 1.11.10.1 AUX\_NARRATIVE

| Data Element | Data Type   | Description  | Reference/<br>Default Values | Key  |
|--------------|-------------|--|------------------------------|------|
| AUXID        | VARCHAR(17) | Contains the ROWID value corresponding to ROWID value in ID_NRTV_ROWID column of NARRATIVE table |                              | TRUE |
| AUXVER       | SMALLINT    | Version of BLOB data value in TX_NRTV column of NARRATIVE table                                  |                              |      |
| AUX_VALUE    | BLOB(700K)  | Contains value of the column TX_NRTV of NARRATIVE TABLE. Holds up to 50K of BLOB                 |                              |      |

### 1.11.10.2 NARRATIVE

| Data Element  | Data Type  | Description   | Reference/<br>Default Values | Key  |
|---------------|------------|---|------------------------------|------|
| ID_NRTV       | INTEGER    | Primary Key, Identity, System generated   |                              | TRUE |
| ID_TYPE_NRTV  | INTEGER    | foreign key from table Ref_Type_Narrative   | 1.12.56                      |      |
| ID_WRKR       | INTEGER    | foreign key from table Worker   |                              |      |
| DT_ACTV       | DATE       | Date the record was established.  |                              |      |
| DT_INACTV     | DATE       | Indicates if a specific record is inactive  |                              |      |
| TS_MDFD       | TIMESTAMP  | Indicates when a specific record was last modified                                      |                              |      |
| ID_NRTV_ROWID | ROWID      | ROWID column for referring the BLOB data in the auxiliary table AUX_NARRATIVE           |                              |      |
| TX_NRTV       | BLOB(700K) | Contains details about the actual BLOB data stored in the auxiliary table AUX_NARRATIVE |                              |      |

### 1.11.10.3 NARRATIVE\_HSTRY


| Data Element  | Data Type | Description                 | Reference/<br>Default Values | Key  |
|---------------|-----------|-----------------------------|------------------------------|------|
| ID_NRTV_HSTRY | INTEGER   | Primary Key of Narrative    |                              | TRUE |
| ID_NRTV_CURR  | INTEGER   | ID of the current narrative |                              |      |

|             |         |                         |  |  |
|-------------|---------|-------------------------|--|--|
| ID_NRTV_OLD | INTEGER | ID of the old narrative |  |  |
|-------------|---------|-------------------------|--|--|

#### **1.11.10.4 REF\_TYPE\_NARRATIVE**

| Data Element  | Data Type | Description   | Reference/<br>Default Values | Key  |
|---------------|-----------|---|------------------------------|------|
| ID_TYPE_NRTV  | INTEGER   | Primary Key, Identity, System generated                 |                              | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry                 | 1.12.48                      |      |
| TX_TYPE_NRTV  | CHAR(50)  | type narrative values                                   |                              |      |
| CD_MULTIPLES  | CHAR(1)   | Set flag if more than one of the same narrative type ok |                              |      |
| CD_PROCESS    | CHAR(1)   | Which process does type narrative belong                |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                        |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive              |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified      |                              |      |

## 1.11.11 PKG\_OFFICE



| Table Name       | Type | Data Structure | Remarks   |
|------------------|------|----------------|---|
| PIV_OFFICE_LCTN  | DB2  | 1.11.11.1      | Association between the office and location         |
| PIV_OFFICE_NRTV  | DB2  | 1.11.11.2      | Association between the office and the narrative    |
| PIV_OFFICE_PHONE | DB2  | 1.11.11.3      | Association between the office and the phone number |

### 1.11.11.1 PIV\_OFFICE\_LCTN

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_OFC_LCTN         | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_OFC              | INTEGER          | foreign key from table ref office                  |                                      |            |
| ID_TYPE_ADRS        | INTEGER          | foreign key from table Ref_Type_Address            | 1.12.45                              |            |
| ID_LCTN             | INTEGER          | foreign key from table Location                    |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |


### **1.11.11.2 PIV\_OFFICE\_NRTV**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_OFC_NRTV         | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_OFC              | INTEGER          | Primary Key, Identity, System generated            | 1.12.29                              |            |
| ID_NRTV             | INTEGER          | Primary Key, Identity, System generated            |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

### **1.11.11.3 PIV\_OFFICE\_PHONE**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_OFC_PHN          | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PHN              | INTEGER          | foreign key from table phone                       |                                      |            |
| ID_OFC              | INTEGER          | foreign key from table ref office                  |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

### 1.11.12 PKG\_PARTICIPANT



| Table Name      | Type | Data Structure | Remarks   |
|-----------------|------|----------------|---|
| PARTICIPANT     | DB2  | 1.11.12.1      | Contains the participant ID and dates to show active/inactive status  |
| PIV_PI_PRSN     | DB2  | 1.11.12.2      | Association between the intake, investigation, participant and person |
| PIV_PRTC_PERSON | DB2  | 1.11.12.3      | Association between the person and participant in the case            |
| PRTC_DETAIL     | DB2  | 1.11.12.4      | Participant Detail Information  |
| REF_TYPE_PRTC   | DB2  | 1.11.12.5      | Available participant types   |

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| PERSON                 | PKG_PERSON     | 1.11.13.5      |
| REF_SUFFIX             | PKG_PERSON     | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE  | 1.11.3.7       |

### **1.11.12.1 PARTICIPANT**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.12.2 PIV\_PI\_PRSN**

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_PI_PRSN   | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |
| ID_INTK_PRSN | INTEGER   | Temporary field for conversion          |                              |      |
| ID_PRTC      | INTEGER   | 'foreign key from table Participant';   |                              |      |
| ID_CASE      | INTEGER   | ID assigned to this case                |                              |      |
| ID_INVS      | INTEGER   | ID assigned to this investigation       |                              |      |
| ID_INTK      | INTEGER   | ID assigned to this intake              |                              |      |
| ID_PRSN      | INTEGER   | ID assigned to this person              |                              |      |

### **1.11.12.3 PIV\_PRTC\_PERSON**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_PRSN | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger   | foreign key from table Person                      |                              |      |
| ID_PRTC      | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.12.4 PRTC\_DETAIL**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_PRTC_DETL  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRTC       | INTEGER   | foreign key from table Participant                 |                              |      |
| FL_MMBR       | CHAR(1)   | Household member                                   |                              |      |
| FL_RFRNC_PRSN | char(1)   | Indicates Head of Household                        |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_TITLE      | INTEGER   | foreign key from table Ref_Title                   | 1.12.44                      |      |
| ID_SFX        | INTEGER   | foreign key from table Ref_Suffix                  | 1.12.42                      |      |
| ID_TYPE_PRTC  | INTEGER   | foreign key from table Ref_Type_Prtc               | 1.12.58                      |      |
| NM_LAST       | CHAR(20)  | last name  |                              |      |


|         |          |             |  |  |
|---------|----------|-------------|--|--|
| NM_FRST | CHAR(20) | First name  |  |  |
| NM_MDL  | CHAR(15) | middle name |  |  |

#### **1.11.12.4 REF\_TYPE\_PRTC**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_PRTC | INTEGER   | Primary Key, Identity, System generated            | 1.12.58                      | TRUE |
| TX_TYPE_PRTC | CHAR(15)  | type participant values                            |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13 PKG\_PERSON**





| Table Name        | Type | Data Structure | Remarks   |
|-------------------|------|----------------|---|
| ATTRIBUTE         | DB2  | 1.11.13.1      | Contains person ID and attributes of that person            |
| FEATURE           | DB2  | 1.11.13.2      | Contains person ID and demographics for that person         |
| IDENTIFICATION    | DB2  | 1.11.13.3      | Contains person ID and information to identify that person  |
| OTHER_PERSON_INFO | DB2  | 1.11.13.4      | Contains other information on a person                      |
| PERSON            | DB2  | 1.11.13.5      | Contains person ID and dates to show active/inactive status |
| PERSON_DETAIL     | DB2  | 1.11.13.6      | Contains detailed data about the person                     |
| PERSON_SSN        | DB2  | 1.11.13.7      | Social Security Number for a person                         |
| PIV_PERSON_AKA    | DB2  | 1.11.13.8      | Associates a person with an alias                           |
| PIV_PERSON_GRDN   | DB2  | 1.11.13.9      | Association between person and guardian                     |
| PIV_PERSON_LANG   | DB2  | 1.11.13.10     | Association between person and their language               |

|                    |     |            |  |
|--------------------|-----|------------|--|
|                    |     |            | primary language   |
| PIV_PERSON_LCTN    | DB2 | 1.11.13.11 | Association between person and their location                      |
| PIV_PERSON_MRTL    | DB2 | 1.11.13.12 | Association between person and marital status                      |
| PIV_PERSON_PHN     | DB2 | 1.11.13.13 | Association between person and phone number                        |
| PIV_PERSON_RACE    | DB2 | 1.11.13.14 | Association between person and their race                          |
| PRSN_MERGE         | DB2 | 1.11.13.15 | Used to track merged persons                                       |
| REF_AKA            | DB2 | 1.11.13.16 | AKA types  |
| REF_CAUSE_OF_DEATH | DB2 | 1.11.13.17 | Available C.O.D. values  |
| REF_CITIZENSHIP    | DB2 | 1.11.13.18 | Available citizenship values                                       |
| REF_COLOR          | DB2 | 1.11.13.19 | Available colors   |
| REF_COUNTRY        | DB2 | 1.11.13.20 | Available countries  |
| REF_EDUCATION      | DB2 | 1.11.13.21 | Available education levels   |
| REF_GENDER         | DB2 | 1.11.13.22 | Available genders  |
| REF_INDIAN         | DB2 | 1.11.13.23 | Available Indian categories  |
| REF_LANGUAGE       | DB2 | 1.11.13.24 | Available languages  |
| REF_MARITAL_STATUS | DB2 | 1.11.13.25 | Available marital status coded                                     |
| REF_RACE           | DB2 | 1.11.13.26 | Available races  |
| REF_RELIGION       | DB2 | 1.11.13.27 | Available religions  |
| REF_SUFFIX         | DB2 | 1.11.13.28 | Available Suffixes   |
| REF_TYPE_COLOR     | DB2 | 1.11.13.29 | Available color types (hair, eye)                                  |
| REF_TYPE_GUARDIAN  | DB2 | 1.11.13.30 | Available types of guardians                                       |
| SRCH_PERSON        | DB2 | 1.11.13.31 | Contains name and location information used to search for a person |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| ADRS_SCNDRY            | PKG_LOCATION      | 1.11.9.1       |
| APPROVAL               | PKG_INTAKE        | 1.11.7.1       |
| CASE_FILE              | PKG_CASE          | 1.11.4.1       |
| CASENAME               | PKG_CASE          | 1.11.4.3       |
| DHR_NUMBER             | PKG_CASE          | 1.11.4.4       |
| DISPOSITION_PRPT       | PKG_INVESTIGATION | 1.11.8.1       |
| DISPOSITION_VICTIM     | PKG_INVESTIGATION | 1.11.8.2       |
| INTAKE                 | PKG_INTAKE        | 1.11.7.2       |
| INTAKE_DETAIL          | PKG_INTAKE        | 1.11.7.3       |
| INVESTIGATION          | PKG_INVESTIGATION | 1.11.8.3       |
| LOCATION               | PKG_LOCATION      | 1.11.9.3       |
| PHONE                  | PKG_PHONE         | 1.11.14.1      |
| PIV_ALGT_INTAKE        | PKG_INTAKE        | 1.11.7.4       |
| PIV_ALGT_INVS          | PKG_INVESTIGATION | 1.11.8.5       |
| PIV_ALGT_PRPT          | PKG_INTAKE        | 1.11.7.5       |
| PIV_ALGT_VCTM          | PKG_INTAKE        | 1.11.7.6       |
| PIV_ASgn_INTAKE        | PKG_INTAKE        | 1.11.7.7       |
| PIV_ASgn_INVS          | PKG_INVESTIGATION | 1.11.8.5       |
| PIV_CASE_CSNM          | PKG_CASE          | 1.11.4.7       |
| PIV_CASE_DHR_NMBR      | PKG_CASE          | 1.11.4.8       |
| PIV_CASE_INVS          | PKG_CASE          | 1.11.4.9       |

|                   |                    |            |
|-------------------|--------------------|------------|
| PIV_CONTACT       | PKG_CONTACTS       | 1.11.5.1   |
| PIV_INTK_APPR     | PKG_INTAKE         | 1.11.7.8   |
| PIV_INVS_APPR     | PKG_INVESTIGATION  | 1.11.8.8   |
| PIV_INVS_INTAKE   | PKG_INTAKE         | 1.11.7.9   |
| PIV_INVS_RCMN     | PKG_RECOMMENDATION | 1.11.16.4  |
| PIV_INVS_ROLE     | PKG_ROLE           | 1.11.20.1  |
| PIV_OFFICE_LCTN   | PKG_OFFICE         | 1.11.11.1  |
| PIV_OFFICE_PHONE  | PKG_OFFICE         | 1.11.11.3  |
| PIV_PRTC_CASE     | PKG_CASE           | 1.11.4.12  |
| PIV_PRTC_INTAKE   | PKG_INTAKE         | 1.11.7.11  |
| PIV_PRTC_INVS     | PKG_INVESTIGATION  | 1.11.8.11  |
| PIV_PRTC_PERSON   | PKG_PARTICIPANT    | 1.11.12.3  |
| PIV_PTCPNT_ROLE   | PKG_ROLE           | 1.11.20.3  |
| PIV_VCTM_PRPT     | PKG_INTAKE         | 1.11.7.13  |
| PIV_WORKER_GROUP  | PKG_WORKER         | 1.11.22.2  |
| PIV_WORKER_OFFICE | PKG_WORKER         | 1.11.22.3  |
| RECOMMENDATION    | PKG_RECOMMENDATION | 1.11.16.7  |
| REF_CHOICE        | PKG_REFERENCE      | 1.11.17.4  |
| REF_CITY          | PKG_LOCATION       | 1.11.9.4   |
| REF_COUNTY        | PKG_LOCATION       | 1.11.9.5   |
| REF_DECISION      | PKG_REFERENCE      | 1.11.17.8  |
| REF_GROUP         | PKG_WORKER         | 1.11.22.8  |
| REF_OFFICE        | PKG_REFERENCE      | 1.11.17.12 |
| REF_ROLES         | PKG_ROLE           | 1.11.20.7  |
| REF_RSTRCTN_RSN   | PKG_RECOMMENDATION | 1.11.16.8  |
| REF_STATE         | PKG_LOCATION       | 1.11.9.6   |
| REF_TITLE         | PKG_REFERENCE      | 1.11.3.7   |
| REF_TYPE_ADDRESS  | PKG_REFERENCE      | 1.11.17.15 |
| REF_TYPE_ASGN     | PKG_REFERENCE      | 1.11.17.16 |
| REF_TYPE_CASE     | PKG_REFERENCE      | 1.11.17.17 |
| REF_TYPE_PHONE    | PKG_PHONE          | 1.11.14.2  |
| REF_ZIP_CODE      | PKG_LOCATION       | 1.11.9.7   |
| WRKR_DETAIL       | PKG_WORKER         | 1.11.22.12 |

### 1.11.13.1 ATTRIBUTE

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_ATRB       | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN       | INTeger   | foreign key from table Person                      |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_LATIN      | INTEGER   | foreign key from table Ref_Choice                  | 1.12.10                      |      |
| ID_COLOR_EYE  | INTEGER   | foreign key from table Ref_Color                   | 1.12.12                      |      |
| ID_COLOR_HAIR | INTEGER   | foreign key from table Ref_Color                   | 1.12.12                      |      |
| ID_INDIAN     | INTEGER   | foreign key from table Ref_Indian                  | 1.12.23                      |      |

### 1.11.13.2 FEATURE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_FEATR     | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger   | foreign key from table Person                      |                              |      |
| TX_FEATR     | CHAR(250) | Person demographics page                           |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.13.3 IDENTIFICATION

| Data Element    | Data Type     | Description  | Reference/<br>Default Values | Key  |
|-----------------|---------------|--|------------------------------|------|
| ID_IDNT         | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN         | INTeger       | foreign key from table Person                      |                              |      |
| DT_ACTV         | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| TX_FOOD_STMP    | CHARacter(20) | Food stamp number                                  |                              |      |
| TX_PRMRY_AUTH   | CHARacter(15) |  |                              |      |
| TX_TANF_PA_NMBR | CHARacter(20) |  |                              |      |
| FL_MDCR_A       | CHARacter(1)  | Medicare A eligible                                |                              |      |
| FL_MDCR_B       | CHARacter(1)  | Medicare B eligible                                |                              |      |
| TX_MDCD         | CHARacter(15) | Medicaid number                                    |                              |      |
| TX_MDCR         | CHARacter(15) | Medicare number                                    |                              |      |
| TX_SSN_CLM_NMBR | CHARacter(11) | SSAN claim number                                  |                              |      |
| TX_DL_NMBR      | CHARacter(15) | Drives license number                              |                              |      |
| DT_DL_EXPR      | DATE          | Drivers license expiration date                    |                              |      |
| CD_DL_STATE     | CHAR(2)       | state abbreviation                                 |                              |      |

### 1.11.13.4 OTHER\_PERSON\_INFO

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_OTHR_PRSN  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN       | INTeger   | foreign key from table Person                      |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_RLGN       | INTEGER   | foreign key from table Ref_Religion                | 1.12.34                      |      |
| ID_EDCTN      | INTEGER   | foreign key from table Ref_Education               | 1.12.18                      |      |
| ID_CAUSE_DTH  | INTEGER   | foreign key from table Ref_Cause_of_Death          | 1.12.8                       |      |
| ID_CITZNSHP   | INTEGER   | foreign key from table Ref_Citizenship             | 1.12.11                      |      |
| ID_RSDNT_ALBM | INTEGER   | foreign key from table Ref_Citizenship             | 1.12.11                      |      |
| ID_14_OR_YNGR | integer   | foreign key from table Ref_Choice                  | 1.12.10                      |      |

|                |               |                    |  |  |
|----------------|---------------|--------------------|--|--|
| DT_DTH         | DATE          | Date of death      |  |  |
| DT_BRTH        | DATE          | Date of birth      |  |  |
| TX_BIRTH_CITY  | CHAR(25)      | city               |  |  |
| TX_BIRTH_CNTY  | CHARacter(15) | County             |  |  |
| CD_BIRTH_STATE | CHAR(2)       | state abbreviation |  |  |
| TX_BIRTH_CNTRY | CHARacter(40) | Country            |  |  |

### 1.11.13.5 PERSON

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRSN      | INTeger   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.13.6 PERSON\_DETAIL

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_PRSN_DETL | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger       | foreign key from table Person                      |                              |      |
| NM_LAST      | CHARacter(20) | last name  |                              |      |
| NM_FRST      | CHARacter(20) | First name   |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| ID_GNDR      | INTEGER       | foreign key from table Ref_Gender                  | 1.12.20                      |      |
| ID_SFX       | INTEGER       | foreign key from table Ref_Suffix                  | 1.12.42                      |      |
| ID_TITLE     | INTEGER       | foreign key from table Ref_Title                   | 1.12.44                      |      |
| NM_MDL       | CHARacter(15) | middle name  |                              |      |

### 1.11.13.7 PERSON\_SSN

| Data Element | Data Type    | Description  | Reference/<br>Default Values | Key  |
|--------------|--------------|--|------------------------------|------|
| ID_PRSN_SSN  | INTEGER      | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger      | foreign key from table Person                      |                              |      |
| NO_PRSN_SSN  | char(9)      | SSAN   |                              |      |
| FL_SSN_VLDT  | CHARacter(1) | identifies verified SSANs                          |                              |      |
| DT_ACTV      | DATE         | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE         | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP    | Indicates when a specific record was last modified |                              |      |

### 1.11.13.8 PIV\_PERSON\_AKA

| Data Element | Data Type | Description | Reference/ | Key |
|--------------|-----------|-------------|------------|-----|
|              |           |             |            |     |

|             |               |  | <b>Default Values</b> |      |
|-------------|---------------|--|-----------------------|------|
| ID_PRSN_AKA | INTEGER       | Primary Key, Identity, System generated            |                       | TRUE |
| ID_PRSN     | INTeger       | foreign key from table Person                      |                       |      |
| ID_AKA      | INTEGER       | foreign key from table ref_aka                     | 1.12.3                |      |
| DT_ACTV     | DATE          | Date the record was established.                   |                       |      |
| DT_INACTV   | DATE          | Indicates if a specific record is inactive         |                       |      |
| TS_MDFD     | TIMESTAMP     | Indicates when a specific record was last modified |                       |      |
| ID_SFX      | INTEGER       | foreign key from table Ref_Suffix                  | 1.12.42               |      |
| ID_TITLE    | INTEGER       | foreign key from table Ref_Title                   | 1.12.44               |      |
| AKA_NM_FRST | CHARacter(20) | AKA first name                                     |                       |      |
| AKA_NM_MDL  | CHARacter(15) | AKA middle name                                    |                       |      |
| AKA_NM_LAST | CHARacter(20) | AKA last name                                      |                       |      |

#### 1.11.13.9 PIV\_PERSON\_GRDN

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_GRDN             | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PRSN_WARD        | INTeger          | foreign key from table Ref_Perspective             | 1.12.30                              |            |
| ID_PRSN_GRDN        | INTeger          | foreign key from table Person                      |                                      |            |
| ID_TYPE_GRDN        | INTEGER          | foreign key from table Ref_Type_Gaurdian           | 1.12.54                              |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### 1.11.13.10 PIV\_PERSON\_LANG

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                       | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_PRSN_LANG        | INTEGER          | Primary Key, Identity, System generated                  |                                      | TRUE       |
| ID_PRSN             | INTeger          | foreign key from table Person                            |                                      |            |
| ID_LANG             | INTEGER          | foreign key from table Ref_Language                      | 1.12.25                              |            |
| FL_PRMRY_LANG       | CHAR(1)          | indicates if language identified is the primary language |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                         |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive               |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified       |                                      |            |

#### 1.11.13.11 PIV\_PERSON\_LCTN

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                      | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|---|--------------------------------------|------------|
| ID_PRSN_LCTN        | INTEGER          | Primary Key, Identity, System generated |                                      | TRUE       |
| ID_PRSN             | INTeger          | foreign key from table Person           |                                      |            |
| ID_TYPE_ADDRS       | INTEGER          | foreign key from table Ref_Type_Address | 1.12.45                              |            |
| ID_LCTN             | INTEGER          | foreign key from table Location         |                                      |            |

|           |           |  |  |  |
|-----------|-----------|--|--|--|
| DT_ACTV   | DATE      | Date the record was established.                   |  |  |
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |  |  |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |  |  |

#### **1.11.13.12 PIV\_PERSON\_MRTL**

| Data Element   | Data Type     | Description  | Reference/<br>Default Values | Key  |
|----------------|---------------|--|------------------------------|------|
| ID_PRSN_MRTL   | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN        | INTeger       | foreign key from table Person                      |                              |      |
| ID_MRTL_STTS   | INTEGER       | foreign key from table Ref_Mrtl_Stts               | 1.12.27                      |      |
| DT_ACTV        | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| ID_PRSN_SPOUSE | INTeger       | foreign key from table Person                      |                              |      |
| TX_MRTL_CITY   | CHAR(25)      | city   |                              |      |
| TX_MRTL_CNTY   | CHARacter(15) | County   |                              |      |
| CD_MRTL_STATE  | CHAR(2)       | state abbreviation                                 |                              |      |
| DT_EFCT        | DATE          | Date of marriage                                   |                              |      |

#### **1.11.13.13 PIV\_PERSON\_PHN**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_PRSN_PHN  | INTEGER       | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger       | foreign key from table Person                      |                              |      |
| ID_PHN       | INTEGER       | foreign key from table phone                       |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| TX_PHN_CMNT  | CHARacter(30) | memo field for phone comments                      |                              |      |

#### **1.11.13.14 PIV\_PERSON\_RACE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRSN_RACE | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PRSN      | INTeger   | foreign key from table Person                      |                              |      |
| ID_RACE      | INTEGER   | foreign key from table Ref_Race                    | 1.12.31                      |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.13.15 PRSN\_MERGE**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_PRSN_MERGE       | INTEGER          | Primary Key, Identity, System generated            |                                      | TRUE       |
| ID_PRSN_RETAINED    | INTEGER          | ID_PRSN of retained person                         |                                      |            |
| ID_PRSN_MERGED      | INTEGER          | ID_PRSN of merged person                           |                                      |            |
| ID_WRKR_OFC         | INTEGER          | Primary Key, Identity, System generated            |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.13.16 REF\_AKA**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_AKA              | INTEGER          | Primary Key, Identity, System generated            | 1.12.3                               | TRUE       |
| TX_AKA              | CHAR(50)         | Type of AKA  |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.13.17 REF\_CAUSE\_OF\_DEATH**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_CAUSE_DTH        | INTEGER          | Primary Key, Identity, System generated            | 1.12.8                               | TRUE       |
| TX_CAUSE_DTH        | CHAR(50)         | Cause of Death values                              |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

#### **1.11.13.18 REF\_CITIZENSHIP**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_CTNZNSHP         | INTEGER          | Primary Key, Identity, System generated            | 1.12.11                              | TRUE       |
| TX_CTNZNSHP         | CHAR(50)         | citizenship values                                 |                                      |            |
| TX_STATE_CNTRY      | CHAR(2)          | Citizenship and Residency values                   |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

### **1.11.13.19 REF\_COLOR**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_COLOR      | INTEGER   | Primary Key, Identity, System generated            | 1.12.12                      | TRUE |
| ID_TYPE_COLOR | INTEGER   | foreign key from table Ref_Type_Color              | 1.12.49                      |      |
| TX_COLOR      | CHAR(10)  | Color  |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.20 REF\_COUNTRY**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_CNTRY     | INTEGER       | Primary Key, Identity, System generated            | 1.12.15                      | TRUE |
| TX_CNTRY     | CHARACTER(40) | Country  |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

### **1.11.13.21 REF\_EDUCATION**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_EDCTN     | INTEGER   | Primary Key, Identity, System generated            | 1.12.18                      | TRUE |
| TX_EDCTN     | CHAR(50)  | Education level values                             |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.22 REF\_GENDER**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_GNDR      | INTEGER   | Primary Key, Identity, System generated            | 1.12.20                      | TRUE |
| TX_GNDR      | CHAR(15)  | Gender   |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.23 REF\_INDIAN**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INDIAN    | INTEGER   | Primary Key, Identity, System generated            | 1.12.23                      | TRUE |
| TX_INDIAN    | CHAR(25)  | Indian Values                                      |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.24 REF\_LANGUAGE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_LANG      | INTEGER   | Primary Key, Identity, System generated            | 1.12.25                      | TRUE |
| TX_LANG      | CHAR(25)  | Language values                                    |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.25 REF\_MARITAL\_STATUS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_MRTL_STTS | INTEGER   | Primary Key, Identity, System generated            | 1.12.27                      |      |
| TX_MRTL_STTS | CHAR(25)  | Marital status values                              |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.26 REF\_RACE**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_RACE      | INTEGER       | Primary Key, Identity, System generated            | 1.12.31                      | TRUE |
| TX_RACE      | CHARacter(50) | Race values  |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

### **1.11.13.27 REF\_RELIGION**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_RLGN      | INTEGER   | Primary Key, Identity, System generated            | 1.12.34                      | TRUE |
| TX_RLGN      | CHAR(25)  | Religion values                                    |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.28 REF\_SUFFIX**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_SFX       | INTEGER   | Primary Key, Identity, System generated            | 1.12.42                      | TRUE |
| TX_SFX       | CHAR(4)   | Suffix Values                                      |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.29 REF\_TYPE\_COLOR**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_TYPE_COLOR | INTEGER   | Primary Key, Identity, System generated            | 1.12.49                      | TRUE |
| TX_TYPE_COLOR | CHAR(10)  | Color type values                                  |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |


### **1.11.13.30 REF\_TYPE\_GUARDIAN**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_GRDN | INTEGER   | Primary Key, Identity, System generated            | 1.12.54                      | TRUE |
| TX_TYPE_GRDN | CHAR(50)  | type guardian values                               |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.13.31 SRCH\_PERSON**

| Data Element     | Data Type | Description                             | Reference/<br>Default Values | Key  |
|------------------|-----------|---|------------------------------|------|
| ID_SRCH_PRSN     | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |
| ID_PRSN          | INTEGER   | foreign key from table Person           |                              |      |
| NM_LAST          | CHAR(20)  | last name                               |                              |      |
| NM_FIRST         | CHAR(20)  | first name                              |                              |      |
| NM_MDL           | CHAR(15)  | middle name                             |                              |      |
| NM_MFONE_LAST    | CHAR(10)  | mfone of last name                      |                              |      |
| NM_MFONE_FIRST   | CHAR(10)  | mfone of first name                     |                              |      |
| NM_UPR_LAST      | CHAR(50)  | upper case of last name                 |                              |      |
| NM_UPR_FIRST     | CHAR(20)  | upper case of first name                |                              |      |
| DT_BRTH          | DATE      | Date of birth                           |                              |      |
| TX_GNDR          | CHAR(15)  | gender                                  |                              |      |
| CD_AKA           | CHAR(1)   | AKA indicator                           |                              |      |
| ID_LCTN          | INTEGER   | foreign key from table Location         |                              |      |
| AD_STREET        | CHAR(50)  | Street address                          |                              |      |
| AD_APRT_NMBR     | CHAR(50)  | apartment, suite, PO box number         |                              |      |
| AD_CARE_OF       | CHAR(50)  | In care of address line.                |                              |      |
| TX_LCTN          | CHAR(50)  | text field for address info             |                              |      |
| TX_CITY          | CHAR(25)  | City name                               |                              |      |
| TX_STATE         | CHAR(15)  | State person lives in                   |                              |      |
| CD_ZIP           | CHAR(5)   | zipcode                                 |                              |      |
| CD_ZIP_PLUS_FOUR | CHAR(5)   | plus four of zipcode                    |                              |      |
| TX_CNTY          | CHAR(15)  | County                                  |                              |      |
| CD_TYPE          | CHAR(1)   |   |                              |      |
| TX_TITLE         | CHAR(40)  | Title given a person (Mr., Mrs., etc.)  |                              |      |
| TX_SUFFIX        | CHAR(4)   | Suffix Values (Jr., Sr., etc.)          |                              |      |

### 1.11.14 PKG\_PHONE



| Table Name     | Type | Data Structure | Remarks   |
|----------------|------|----------------|---|
| PHONE          | DB2  |                | Contains phone number data and dates to show active/inactive status |
| REF_TYPE_PHONE | DB2  |                | Contains available phone types                                      |


#### 1.11.14.1 PHONE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PHN       | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_TYPE_PHN  | INTEGER   | foreign key from table Ref_Type_Phone              | 1.12.57                      |      |
| AD_PHN       | CHAR(10)  | phone number w/area code                           |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### 1.11.14.2 REF\_TYPE\_PHONE

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_PHN  | INTEGER   | Primary Key, Identity, System generated            | 1.12.57                      | TRUE |
| TX_TYPE_PHN  | CHAR(15)  | Phone type values                                  |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.15 PKG\_Q&A



| Table Name        | Type | Data Structure | Remarks   |
|-------------------|------|----------------|---|
| PIV_INQUIRY       | DB2  | 1.11.15.1      | Associates type of question with type of answer |
| REF_ANSWER        | DB2  | 1.11.15.2      | Available answers                               |
| REF_TYPE_QUESTION | DB2  | 1.11.15.3      | Available question types                        |

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| REF_OFFICE             | PKG_REFERENCE  | 1.11.17.12     |
| WORKER                 | PKG_WORKER     | 1.11.22.11     |

#### 1.11.15.1 PIV\_INQUIRY

| Data Element | Data Type | Description                              | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INQRY     | INTEGER   | Primary Key, Identity, System generated  |                              | TRUE |
| ID_TYPE_QSTN | INTEGER   | foreign key from table Ref_Type_question | 1.12.59                      |      |
| ID_ANSW      | INTEGER   | foreign key from table Ref_Type_Answer   |                              |      |
| ID_WRKR      | INTEGER   | foreign key from table Worker            |                              |      |

|           |           |  |         |  |
|-----------|-----------|--|---------|--|
| ID_OFC    | INTEGER   | Primary Key, Identity, System generated            | 1.12.29 |  |
| DT_ACTV   | DATE      | Date the record was established.                   |         |  |
| DT_INACTV | DATE      | Indicates if a specific record is inactive         |         |  |
| TS_MDFD   | TIMESTAMP | Indicates when a specific record was last modified |         |  |

### **1.11.15.2 REF\_ANSWER**


| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_ANSW      | INTEGER       | Primary Key, Identity, System generated            | 1.12.6                       | TRUE |
| ID_OFC       | INTEGER       | foreign key from table ref office                  | 1.12.29                      |      |
| TX_ANSW      | CHARacter(40) | Q & A Answer values                                |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

### **1.11.15.3 REF\_TYPE\_QUESTION**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_TYPE_QSTN | INTEGER       | Primary Key, Identity, System generated            | 1.12.59                      | TRUE |
| ID_OFC       | INTEGER       | foreign key from table ref office                  | 1.12.29                      |      |
| TX_TYPE_QSTN | CHARacter(40) | Q & A Question values                              |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

### **1.11.16 PKG \_RECOMMENDATION**





| Table Name       | Type | Data Structure | Remarks  |
|------------------|------|----------------|--|
| PIV_INTK_NTFC    | DB2  | 1.11.16.1      | Association between intake and notification          |
| PIV_INTK_RCMN    | DB2  | 1.11.16.2      | Association between intake and recommendation        |
| PIV_INVS_NTFC    | DB2  | 1.11.16.3      | Association between investigation and notification   |
| PIV_INVS_RCMN    | DB2  | 1.11.16.4      | Association between investigation and recommendation |
| PIV_NOTIFICATION | DB2  | 1.11.16.5      | Association between the contact and the agency       |
| PIV_RCMD_DSCR    | DB2  | 1.11.16.6      | Association between                                  |

|                 |     |            |   |
|-----------------|-----|------------|---|
| RECOMMENDATION  | DB2 | 1.11.16.7  | recommendation and description  |
| REF_RSTRCTN_RSN | DB2 | 1.11.16.8  | Contains information on action taken in a case and a reason for any restrictions placed on the action |
| REF_TYPE_DSCR   | DB2 | 1.11.16.9  | Available restriction reasons   |
| REF_TYPE_FACTOR | DB2 | 1.11.16.10 | Available type codes to describe the case   |
|                 |     |            | Available type codes to describe other factors involved in the case                                   |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| INTAKE                 | PKG_INTAKE        | 1.11.7.2       |
| INTAKE_DETAIL          | PKG_INTAKE        | 1.11.7.3       |
| INVESTIGATION          | PKG_INVESTIGATION | 1.11.8.3       |
| PERSON_DETAIL          | PKG_PERSON        | 1.11.13.6      |
| PHONE                  | PKG_PHONE         | 1.11.14.1      |
| PIV_CONTACT            | PKG_CONTACTS      | 1.11.5.1       |
| PIV_INVS_INTAKE        | PKG_INTAKE        | 1.11.7.9       |
| PIV_OFFICE_PHONE       | PKG_OFFICE        | 1.11.11.3      |
| REF_ACTION             | PKG_REFERENCE     | 1.11.17.1      |
| REF_AGENCY             | PKG_REFERENCE     | 1.11.17.2      |
| REF_CHOICE             | PKG_REFERENCE     | 1.11.17.4      |
| REF_CONTACT_METHOD     | PKG_REFERENCE     | 1.11.17.4      |
| REF_CTGRY_INTERVAL     | PKG_REFERENCE     | 1.11.17.7      |
| REF_INTAKE_CTGRY       | PKG_REFERENCE     | 1.11.17.10     |
| REF_SUFFIX             | PKG_PERSON        | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE     | 1.11.3.7       |
| REF_TYPE_CONTACT       | PKG_REFERENCE     | 1.11.17.19     |

### 1.11.16.1 PIV\_INTK\_NTFC

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INTK_NTFC | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_NTFC      | INTEGER   | foreign key from table Piv_Ntfc                    |                              |      |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.16.2 PIV\_INTK\_RCMN

| Data Element | Data Type | Description                                | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INTK_RCMN | INTEGER   | Primary Key, Identity, System generated    |                              | TRUE |
| ID_RCMN      | INTEGER   | foreign key from table Recommendation      |                              |      |
| ID_INTK      | integer   | foreign key from table Intake              |                              |      |
| DT_ACTV      | DATE      | Date the record was established.           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive |                              |      |

|         |           |  |  |  |
|---------|-----------|--|--|--|
| TS_MDFD | TIMESTAMP | Indicates when a specific record was last modified |  |  |
|---------|-----------|--|--|--|

### 1.11.16.3 PIV\_INVS\_NTFC

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS_NTFC | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_NTFC      | INTEGER   | foreign key from table Piv_Ntfc                    |                              |      |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.16.4 PIV\_INVS\_RCMN

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS_RCMN | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RCMN      | INTEGER   | foreign key from table Recommendation              |                              |      |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.16.5 PIV\_NOTIFICATION

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_NTFC       | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_CNTC_MTHD  | INTEGER   | foreign key from table Ref_Contact_Method          | 1.12.24                      |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_CNTC       | INTEGER   | foreign key from table Piv_Contact                 |                              |      |
| ID_AGNCY      | integer   | Primary Key, Identity, System generated            | 1.12.2                       |      |
| CD_INTL_FINAL | CHAR(1)   |  |                              |      |
| DT_NOTFD      | DATE      | Indicates when a specific record was last modified |                              |      |

### **1.11.16.6 PIV\_RCMD\_DSCR**

| Data Element     | Data Type | Description  | Reference/<br>Default Values | Key  |
|------------------|-----------|--|------------------------------|------|
| ID_PIV_RCMD_DSCR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RCMN          | INTEGER   | foreign key from table Recommendation              |                              |      |
| ID_TYPE_DSCR     | INTEGER   | foreign key from table Ref_Type_Dscr               | 1.12.52                      |      |
| DT_ACTV          | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV        | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD          | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.16.7 RECOMMENDATION**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_RCMN         | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_RSTR_RSN     | INTEGER   | foreign key from table Ref_Rstr_Reason             | 1.12.40                      |      |
| ID_CTGRY_INTRVL | INTEGER   | foreign key from table Ref_Interval                | 1.12.55                      |      |
| ID_AGNCY        | integer   | foreign key from table Ref_Agency                  | 1.12.2                       |      |
| ID_ACTION       | INTEGER   | ID for the action taken                            | 1.12.1                       |      |
| DTREFERRED      | DATE      | date referred to investigating agency              |                              |      |

### **1.11.16.8 REF\_RSTRCTN\_RSN**

| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_RSTR_RSN   | INTEGER       | Primary Key, Identity, System generated            | 1.12.40                      | TRUE |
| ID_INTK_CTGRY | INTEGER       | foreign key from table Ref_Intake_Ctgy             | 1.12.24                      |      |
| TX_RSTR_RSN   | CHARacter(40) | Restricted Reason values                           |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |


### **1.11.16.9 REF\_TYPE\_DSCR**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_TYPE_DSCR   | INTEGER   | Primary Key, Identity, System generated            | 1.12.52                      | TRUE |
| ID_TYPE_FACTOR | INTEGER   | foreign key from table Ref_Type_Factor             | 1.12.53                      |      |
| TX_TYPE_DSCR   | CHAR(225) | type description values                            |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.16.10 REF\_TYPE\_FACTOR**

| <b>Data Element</b> | <b>Data Type</b> | <b>Description</b>                                 | <b>Reference/<br/>Default Values</b> | <b>Key</b> |
|---------------------|------------------|--|--------------------------------------|------------|
| ID_TYPE_FACTOR      | INTEGER          | Primary Key, Identity, System generated            | 1.12.53                              | TRUE       |
| ID_CHOICE           | INTEGER          | foreign key from table Ref_Choice                  | 1.12.10                              |            |
| ID_INTK_CTGRY       | INTEGER          | foreign key from table Ref_Intake_Ctgry            | 1.12.24                              |            |
| TX_TYPE_FACTOR      | CHARacter(30)    | type Factor values                                 |                                      |            |
| DT_ACTV             | DATE             | Date the record was established.                   |                                      |            |
| DT_INACTV           | DATE             | Indicates if a specific record is inactive         |                                      |            |
| TS_MDFD             | TIMESTAMP        | Indicates when a specific record was last modified |                                      |            |

### **1.11.17 PKG\_REFERENCE**



| <b>Table Name</b>  | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>   |
|--------------------|-------------|-----------------------|--|
| REF_ACTION         | DB2         | 1.11.17.1             | Available codes to describe the action taken in the case   |
| REF_AGENCY         | DB2         | 1.11.17.2             | Available agencies   |
| Ref_Checklist      | DB2         | 1.11.17.3             | Reference values for the different checklists - i.e. intake, investigation, etc. Office unique values are allowed. |
| REF_CHOICE         | DB2         | 1.11.17.4             | Available Choices  |
| REF_CONTACT_LCTN   | DB2         | 1.11.17.5             | Available contact locations  |
| REF_CONTACT_METHOD | DB2         | 1.11.17.6             | Available contact methods  |
| REF_CTGRY_INTERVAL | DB2         | 1.11.17.7             | Available interval values  |
| REF_DECISION       | DB2         | 1.11.17.8             | Allowable decision values within each type - i.e. for type 'disposition' the allowable values may be               |

|                    |     |            |   |
|--------------------|-----|------------|---|
|                    |     |            | indicated, not indicated, entered in error, etc   |
| REF_HOLIDAY        | DB2 | 1.11.17.9  | Available holidays  |
| REF_INTAKE_CTGRY   | DB2 | 1.11.17.10 | Available intake categories (ex. CPS, AANE)   |
| REF_LIVING_ARRANGE | DB2 | 1.11.17.11 | contains a list of values to indicate the specific living arrangement identified in an adult risk assessment  |
| REF_OFFICE         | DB2 | 1.11.17.12 | Available Offices   |
| REF_REASON         | DB2 | 1.11.17.13 | Available Reasons   |
| REF_TITLE          | DB2 | 1.11.17.14 | Available Titles  |
| REF_TYPE_ADDRESS   | DB2 | 1.11.17.15 | Available address types   |
| REF_TYPE_ASGN      | DB2 | 1.11.17.16 | Available assignment types  |
| REF_TYPE_CASE      | DB2 | 1.11.17.17 | Used to identify the type of case.  |
| REF_TYPE_CATEGORY  | DB2 | 1.11.17.18 | Used to establish categories of responses by FCS or AS - For AS adult risk assessment, the categories may include Health or Transportation, for FSC safety assessment they may be Family, parent/caregiver or additional. |
| REF_TYPE_CONTACT   | DB2 | 1.11.17.19 | Identifies the type of the agency - i.e. provider, investigation, educational, medical, etc   |
| REF_TYPE_DECISION  | DB2 | 1.11.17.20 | This table contains values to identify the type of decision - i.e. disposition, intake recommendation, investigation recommendation   |
| REF_TYPE_INTERVAL  | DB2 | 1.11.17.21 | Available interval types  |

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| REF_TYPE_REPORT        | PKG_INTAKE     | 1.11.7.15      |

### 1.11.17.1 REF\_ACTION

| Data Element | Data Type | Description   | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_ACTION    | INTEGER   | Primary Key, Identity, System generated                     | 1.12.1                       | TRUE |
| ID_TYPE_DCSN | INTEGER   | Primary Key, Identity, System generated                     | 1.12.51                      |      |
| TX_ACTION    | CHAR(50)  | Text field which contains a description of the action taken |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                            |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive                  |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified          |                              |      |

### 1.11.17.2 REF\_AGENCY

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_AGNCY     | integer   | Primary Key, Identity, System generated | 1.12.2                       | TRUE |
| ID_TYPE_CNTC | INTEGER   | foreign key from table Ref_Type_Contact | 1.12.50                      |      |

|              |           |  |         |  |
|--------------|-----------|--|---------|--|
| ID_TYPE_CASE | INTEGER   | Primary Key, Identity, System generated            | 1.12.47 |  |
| TX_AGNCY     | CHAR(50)  | Agency name  |         |  |
| DT_ACTV      | DATE      | Date the record was established.                   |         |  |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |         |  |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |         |  |

#### **1.11.17.3 REF\_CHECKLIST**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_CHCKLST    | INTEGER   | Primary Key, Identity, System generated            | 1.12.9                       | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| ID_OFC        | INTEGER   | foreign key from table ref office                  | 1.12.29                      |      |
| ID_TYPE_RPRT  | INTEGER   | foreign key from table Ref_Type_Report             | 1.12.60                      |      |
| TX_CHCKLST    | CHAR(150) | Checklist item                                     |                              |      |
| DT_ACTV       | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.4 REF\_CHOICE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CHOICE    | INTEGER   | Primary Key, Identity, System generated            | 1.12.10                      | TRUE |
| TX_CHOICE    | Char(25)  | Text choice  |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.5 REF\_CONTACT\_LCTN**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_CNTC_LCTN | INTEGER       | Primary Key, Identity, System generated            | 1.12.10                      | TRUE |
| ID_OFC       | INTEGER       | foreign key from table ref office                  | 1.12.29                      |      |
| TX_CNTC_LCTN | CHARacter(40) | Contact Location Values                            |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.6 REF\_CONTACT\_METHOD**

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_CNTC_MTHD | INTEGER   | Primary Key, Identity, System generated | 1.12.14                      | TRUE |
| ID_OFC       | INTEGER   | foreign key from table ref office       | 1.12.29                      |      |

|               |               |   |  |  |
|---------------|---------------|---|--|--|
| TX_CNTC_MTHD  | CHARacter(20) | Contact method values   |  |  |
| CD_WHERE_USED | CHAR(10)      | Valid values are 'Intake' or 'Narrative'. Narrative contact methods are used in the assessment to identify contact method for a specific narrative and Intake contact methods are used to identify contact method for the intake. |  |  |
| DT_ACTV       | DATE          | Date the record was established.  |  |  |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive  |  |  |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified  |  |  |

#### **1.11.17.7 REF\_CTGRY\_INTERVAL**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_CTGRY_INTRVL | INTEGER   | Primary Key, Identity, System generated            | 1.12.16                      | TRUE |
| ID_INTK_CTGRY   | INTEGER   | foreign key from table Ref_Intake_Ctgy             | 1.12.24                      |      |
| ID_TYPE_INTRVL  | INTEGER   | foreign key from table Ref_Type_Interval           | 1.12.55                      |      |
| NO_INTRVL_HRS   | INTEGER   | Interval values                                    |                              |      |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.8 REF\_DECISION**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_DCSN        | INTEGER   | Primary Key, Identity, System generated            | 1.12.17                      | TRUE |
| ID_TYPE_DCSN   | INTEGER   | foreign key from table Ref_Type_Decision           | 1.12.51                      |      |
| TX_DCSN        | CHAR(50)  | Decision values                                    |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| CD_WRKR_SPRVSR | CHAR(1)   | Code to show if this is a worker or a supervisor   |                              |      |

#### **1.11.17.9 REF\_HOLIDAY**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_HLDY      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_HLDY      | DATE      | DATE OF THE HOLIDAY                                |                              |      |
| TX_HLDY      | CHAR(50)  | HOLIDAY DESCRIPTION                                |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### 1.11.17.10 REF\_INTAKE\_CTGRY

| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_INTK_CTGRY | INTEGER       | Primary Key, Identity, System generated            | 1.12.24                      | TRUE |
| ID_TYPE_CASE  | INTEGER       | foreign key from table ref type case               | 1.12.47                      |      |
| TX_INTK_CTGRY | CHARacter(40) | Intake Category values                             |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### 1.11.17.11 REF\_LIVING\_ARRANGE

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_LVNG_ARNG  | integer   | Primary Key, Identity, System generated  |                              | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry  |                              |      |
| TX_LVNG_ARNG  | char(25)  | Text field containing the specific value for the living arrangement - i.e. Alone, etc. |                              |      |
| DT_ACTV       | DATE      | Date the record was established.   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive   |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified                                     |                              |      |

#### 1.11.17.12 REF\_OFFICE

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_OFC       | INTEGER       | Primary Key, Identity, System generated            | 1.12.29                      | TRUE |
| TX_OFC       | CHARacter(80) | Office values                                      |                              |      |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### 1.11.17.13 REF\_REASON

| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_RSN        | INTEGER       | Primary Key, Identity, System generated            | 1.12.32                      | TRUE |
| ID_TYPE_CTGRY | INTEGER       | foreign key from table Ref_Type_Category           | 1.12.48                      |      |
| TX_RSN        | CHARacter(50) | Reason values                                      |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.14 REF\_TITLE**

| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_TITLE      | INTEGER       | Primary Key, Identity, System generated  | 1.12.44                      | TRUE |
| ID_OFC        | INTEGER       | foreign key from table ref office  | 1.12.29                      |      |
| TX_TYPE_TITLE | CHAR          | identifies either a 'Positional (Director, Board Member) or 'Title (Mr., Mrs.) |                              |      |
| TX_TITLE      | CHARacter(40) | Title Values   |                              |      |
| DT_ACTV       | DATE          | Date the record was established.   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive                                     |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified                             |                              |      |

#### **1.11.17.15 REF\_TYPE\_ADDRESS**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_ADRS | INTEGER   | Primary Key, Identity, System generated            | 1.12.45                      |      |
| TX_TYPE_ADRS | CHAR(50)  | Address type values                                |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.16 REF\_TYPE\_ASgn**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_ASgn | INTEGER   | Primary Key, Identity, System generated            | 1.12.46                      | TRUE |
| TX_TYPE_ASgn | CHAR(15)  | Assignment type Values                             |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.17.17 REF\_TYPE\_CASE**

| Data Element | Data Type | Description   | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_TYPE_CASE | INTEGER   | Primary Key, Identity, System generated             | 1.12.47                      | TRUE |
| TX_TYPE_CASE | CHAR(25)  | test field to contain case type - FCS, AS, Provider |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active            |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive          |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified  |                              |      |

### **1.11.17.18 REF\_TYPE\_CATEGORY**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_TYPE_CTGRY | INTEGER   | Primary Key, Identity, System generated            | 1.12.48                      | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| TX_TYPE_CTGRY | CHAR(50)  | Type Category values                               |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.17.19 REF\_TYPE\_CONTACT**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_CNTC | INTEGER   | Primary Key, Identity, System generated            | 1.12.50                      | TRUE |
| ID_OFC       | INTEGER   | foreign key from table ref office                  | 1.12.29                      |      |
| TX_TYPE_CNTC | CHAR(30)  | Specifies the type of the contact.                 |                              |      |
| DT_ACTV      | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |


### **1.11.17.20 REF\_TYPE\_DECISION**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_TYPE_DCSN  | INTEGER   | Primary Key, Identity, System generated            | 1.12.51                      | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| TX_TYPE_DCSN  | CHAR(50)  | Type of decision values                            |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.17.21 REF\_TYPE\_INTERVAL**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_TYPE_INTRVL | INTEGER   | Primary Key, Identity, System generated            | 1.12.55                      | TRUE |
| TX_TYPE_INTRVL | CHAR(50)  | type interval values                               |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

## 1.11.18 PKG\_RELATIONSHIPS



| Table Name       | Type | Data Structure | Remarks  |
|------------------|------|----------------|--|
| PIV_PRTC_RLTN    | DB2  | 1.11.18.1      | Associates a participant with their relationship to the person named in the case |
| REF_RELATIONSHIP | DB2  | 1.11.18.2      | Available relationships  |

| Table Name (Shortcuts) | Target Package  | Data Structure |
|------------------------|-----------------|----------------|
| PARTICIPANT            | PKG_PARTICIPANT | 1.11.12.1      |
| PERSON_DETAIL          | PKG_PERSON      | 1.11.13.6      |
| PIV_PRTC_PERSON        | PKG_PARTICIPANT | 1.11.12.3      |
| PIV_RLTN_INTAKE        | PKG_INTAKE      | 1.11.7.12      |
| PRTC_DETAIL            | PKG_PARTICIPANT | 1.11.12.4      |
| REF_INTAKE_CTGRY       | PKG_REFERENCE   | 1.11.17.10     |
| REF_SUFFIX             | PKG_PERSON      | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE   | 1.11.17.14     |

### **1.11.18.1 PIV\_PRTC\_RLTN**


| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_RLTN | INTEGER   | Primary Key, Identity, System generated                            |                              | TRUE |
| ID_PRTC_WHO  | INTEGER   | foreign key from table Participant                                 |                              |      |
| ID_RLTN      | INTEGER   | Provides the "Relationship" in "Who is the <Relationship> of Whom" | 1.12.33                      |      |
| ID_PRTC_WHOM | INTEGER   | foreign key from table Participant                                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive                         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified                 |                              |      |

### **1.11.18.2 REF\_RELATIONSHIP**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_RLTN       | INTEGER   | Primary Key, Identity, System generated  | 1.12.33                      | TRUE |
| ID_INTK_CTGRY | INTEGER   | foreign key from table Ref_Intake_Ctgry  | 1.12.24                      |      |
| TX_RLTN       | CHAR(50)  | Relationship - Father, Mother, Son, Daughter, etc  |                              |      |
| FL_PRPT       | CHAR      | Identifies whether or not this relationship applies to perpetrator - victim combinations |                              |      |
| FL_FMLY       | CHAR      | Identifies if this relationship applies to family relationships                          |                              |      |
| DT_ACTV       | DATE      | Date the record was established.   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive   |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified                                       |                              |      |

### **1.11.19 PKG \_ REPORTS**





| <b>Table Name</b> | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>   |
|-------------------|-------------|-----------------------|--|
| BATCH_PARM        | DB2         | 1.11.19.1             | Provides a date range to views used by batch reports. Can also send a range of timestamps or text. |
| PIV LETTERHEAD    | DB2         | 1.11.19.2             | Associates an office with the letterhead they use  |
| PIV_RPRT_HSTRY    | DB2         | 1.11.19.3             |  |
| PIV_RPRT_INTK     | DB2         | 1.11.19.4             | Associates an intake with its report   |
| PIV_RPRT_INVS     | DB2         | 1.11.19.5             |  |
| PIV_RPRT_LTRH     | DB2         | 1.11.19.6             | Associates a report with its letterhead  |
| PIV_XML_HSTRY     | DB2         | 1.11.19.7             | Associates a narrative with the history of changes made to that narrative                          |
| REF_FORMAT        | DB2         | 1.11.19.8             | Holds the formatting for a specific letter/report.   |
| REF_RPRT_LOVS     | DB2         | 1.11.19.9             |  |
| REF_RPRT_TITLE    | DB2         | 1.11.19.9             | Ties the XSLT file, the formatting and the Title of the report or letter together                  |
| REF_XSLT          | DB2         | 1.11.19.9             | Associates a report with its XSLT file   |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| ADRS_SCNDRY            | PKG_LOCATION      | 1.11.9.1       |
| FWK_PROCESS            | PKG_FRAMEWORK     | 1.11.6.2       |
| INTAKE                 | PKG_INTAKE        | 1.11.7.2       |
| INVESTIGATION          | PKG_INVESTIGATION | 1.11.8.3       |
| LOCATION               | PKG_LOCATION      | 1.11.9.3       |
| NARRATIVE              | PKG_NARRATIVE     | 1.11.10.2      |
| PERSON                 | PKG_PERSON        | 1.11.13.5      |
| PERSON_DETAIL          | PKG_PERSON        | 1.11.13.6      |
| PHONE                  | PKG_PHONE         | 1.11.14.1      |
| PIV_CONTACT            | PKG_CONTACTS      | 1.11.5.1       |
| PIV_OFFICE_LCTN        | PKG_OFFICE        | 1.11.11.1      |
| PIV_OFFICE_PHONE       | PKG_OFFICE        | 1.11.11.3      |
| PIV_PERSON_LCTN        | PKG_PERSON        | 1.11.13.11     |
| PIV_WORKER_OFFICE      | PKG_WORKER        | 1.11.22.3      |
| REF_AGENCY             | PKG_REFERENCE     | 1.11.17.2      |
| REF_INTAKE_CTGRY       | PKG_REFERENCE     | 1.11.17.10     |
| REF_OFFICE             | PKG_REFERENCE     | 1.11.17.12     |
| REF_SUFFIX             | PKG_PERSON        | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE     | 1.11.17.14     |
| REF_TYPE_ADDRESS       | PKG_REFERENCE     | 1.11.17.15     |
| REF_TYPE_CONTACT       | PKG_REFERENCE     | 1.11.17.19     |
| REF_TYPE_WORKER        | PKG_WORKER        | 1.11.22.10     |
| WORKER                 | PKG_WORKER        | 1.11.22.11     |
| WRKR_DETAIL            | PKG_WORKER        | 1.11.22.12     |

### 1.11.19.1 BATCH\_PARM

| Data Element | Data Type | Description   | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_PARM      | INTEGER   | Primary Key, Identity, System generated                     |                              | TRUE |
| TX_PARM_NAME | CHAR(20)  | Contains the name of the view which will reference this row |                              |      |
| TS_PARM1     | TIMESTAMP | Beginning timestamp of the range                            |                              |      |
| TS_PARM2     | TIMESTAMP | Ending timestamp of the range                               |                              |      |
| DT_PARM1     | DATE      | Beginning date of the range                                 |                              |      |
| DT_PARM2     | DATE      | Ending date of the range                                    |                              |      |
| NO_PARM1     | INTEGER   | Beginning number of the range                               |                              |      |
| NO_PARM2     | INTEGER   | Ending number of the range                                  |                              |      |
| TX_PARM1     | CHAR(80)  | Beginning text of the range                                 |                              |      |
| TX_PARM2     | CHAR(80)  | Ending text of the range                                    |                              |      |

### 1.11.19.2 PIV LETTERHEAD

| Data Element | Data Type | Description                             | Reference/<br>Default Values | Key  |
|--------------|-----------|---|------------------------------|------|
| ID_LTRH      | INTEGER   | Primary Key, Identity, System generated |                              | TRUE |
| ID_OFCC      | INTEGER   | foreign key from table ref office       | 1.12.29                      |      |
| ID_OFCC_LCTN | INTEGER   | foreign key from table Piv_Office_Lctn  |                              |      |

|                |           |   |  |  |
|----------------|-----------|---|--|--|
| ID_OFC_PHN     | INTEGER   | foreign key from table Piv_Office_Phone                     |  |  |
| ID_PRMRY_WRKR  | INTEGER   | ID of the primary worker assigned to the case               |  |  |
| TX_SEAL_STATE  | CHAR(255) | State seal image for letterhead                             |  |  |
| TX_SEAL_DHR    | CHAR(255) | DHR seal image for letterhead                               |  |  |
| DT_ACTV        | DATE      | Date the record was established.                            |  |  |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive                  |  |  |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified          |  |  |
| ID_OFFICE_FAX  | INTEGER   | Primary Key, Identity, System generated                     |  |  |
| ID_SCNDRY_WRKR | INTEGER   | foreign key from table Worker refers to the County Director |  |  |
| CD_FROM        | CHAR(1)   |   |  |  |

#### **1.11.19.3 PIV\_RPRT\_HSTRY**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_PIV_RPRT_HSTRY | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR           | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_RPRT_TITLE     | INTEGER   | Primary Key, Identity, System generated            | 1.12.39                      |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_RPRT_LTRH      | INTEGER   | foreign key from table Piv_Rprt_Hstry              |                              |      |
| ID_SUPERVISOR     | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_RPRT_LOVS      | INTEGER   | foreign key from table Ref_Rprt_Lovs               | 1.12.38                      |      |
| ID_NRTV           | INTEGER   | foreign key from table Narrative                   |                              |      |
| ID_CNTC           | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_PRSN           | INTeger   | Primary Key, Identity, System generated            |                              |      |
| DT_REPLY_BY       | DATE      | Date reply required to report                      |                              |      |

#### **1.11.19.4 PIV\_RPRT\_INTK**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_RPRT_INTK      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PIV_RPRT_HSTRY | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_INTK           | integer   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.5 PIV\_RPRT\_INVS**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_RPRT_INVS      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PIV_RPRT_HSTRY | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_INVS           | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.6 PIV\_RPRT\_LTRH**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_RPRT_LTRH  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RPRT_TITLE | INTEGER   | foreign key from table Ref_Rprt_Title              | 1.12.39                      |      |
| ID_LTRH       | INTEGER   | foreign key from table Piv_Letterhead              |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.7 PIV\_XML\_HSTRY**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_XML_HSTRY      | integer   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_PIV_RPRT_HSTRY | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_NRTV           | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.8 REF\_FORMAT**

| Data Element | Data Type     | Description  | Reference/<br>Default Values | Key  |
|--------------|---------------|--|------------------------------|------|
| ID_FORMAT    | INTEGER       | Primary Key, Identity, System generated            | 1.12.19                      | TRUE |
| DT_ACTV      | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |
| TX_FORMAT    | VARCHAR(2000) | Contains letter formatting                         |                              |      |

### **1.11.19.9 REF\_RPRT\_LOVS**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_RPRT_LOVS  | INTEGER   | Primary Key, Identity, System generated            | 1.12.38                      | TRUE |
| ID_RPRT_TITLE | INTEGER   | foreign key from table Ref_Rprt_Title              | 1.12.39                      |      |
| TX_LOVS       | CHAR(255) | Report values                                      |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.10 REF\_RPRT\_TITLE**


| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_RPRT_TITLE | INTEGER   | Primary Key, Identity, System generated            | 1.12.39                      | TRUE |
| ID_XSLT       | integer   | foreign key from table Ref_XSLT                    | 1.12.63                      |      |
| ID_FORMAT     | INTEGER   | foreign key from table REF_FORMAT                  | 1.12.19                      |      |
| ID_INTK_CTGRY | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_PRCs       | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| TX_RPRT_TITLE | CHAR(50)  | Report title values                                |                              |      |
| TX_LTR_NMBR   | CHAR(10)  | Contains the PSA number of the letter              |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.19.11 REF\_XSLT**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_XSLT      | integer   | Primary Key, Identity, System generated            | 1.12.63                      | TRUE |
| TX_XSLT_FLNM | CHAR(50)  | Contains the filename of the XSLT file             |                              |      |
| DT_REVISION  | DATE      | mm/dd/yyyy format                                  |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.20 PKG\_ROLE**





| Table Name        | Type | Data Structure | Remarks   |
|-------------------|------|----------------|---|
| PIV_INVS_ROLE     | DB2  | 1.11.20.1      | Reference values for possible relationship types - i.e. son, daughter, etc. Also identifies perpetrator relationship. |
| PIV_PRTC_MLTRY    | DB2  | 1.11.20.2      | Used to establish a history of military service for a participant   |
| PIV_PRTCPNT_ROLE  | DB2  | 1.11.20.3      | Association between the participant and their role  |
| REF_MILITARY      | DB2  | 1.11.20.4      | Available military status   |
| REF_PERSPECTIVE   | DB2  | 1.11.20.5      | Available perspectives  |
| REF_REPORTER_DESC | DB2  | 1.11.20.6      | Available descriptions of the party which reported information to DHR   |
| REF_ROLES         | DB2  | 1.11.20.7      | Available roles   |
| REPORTER_INFRMTN  | DB2  | 1.11.20.8      | Information on the party which reported the information to DHR  |

| Table Name (Shortcuts) | Target Package | Data Structure |
|------------------------|----------------|----------------|
| INTAKE                 | PKG_INTAKE     | 1.11.7.2       |

|                  |                   |            |
|------------------|-------------------|------------|
| INVESTIGATION    | PKG_INVESTIGATION | 1.11.8.3   |
| PARTICIPANT      | PKG_PARTICIPANT   | 1.11.12.1  |
| PERSON_DETAIL    | PKG_PERSON        | 1.11.13.6  |
| PIV_PRTC_INTAKE  | PKG_INTAKE        | 1.11.7.11  |
| PIV_PRTC_PERSON  | PKG_PARTICIPANT   | 1.11.12.3  |
| PRTC_DETAIL      | PKG_PARTICIPANT   | 1.11.12.4  |
| REF_INTAKE_CTGRY | PKG_REFERENCE     | 1.11.17.10 |
| REF_SUFFIX       | PKG_PERSON        | 1.11.13.28 |
| REF_TITLE        | PKG_REFERENCE     | 1.11.3.7   |

#### **1.11.20.1 PIV\_INVS\_ROLE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_INVS_ROLE | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ROLE      | INTEGER   | foreign key from table Ref_Role                    | 1.12.37                      |      |
| ID_INVS      | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.2 PIV\_PRTC\_MLTRY**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_PRTC_MLTRY | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_MLTRY      | INTEGER   | foreign key from table Ref_Military                | 1.12.28                      |      |
| ID_PRTC       | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV       | DATE      | Indicates if a specific record is active           |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.3 PIV\_PRTCPNT\_ROLE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRTC_ROLE | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_ROLE      | INTEGER   | foreign key from table Ref_Role                    | 1.12.37                      |      |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| ID_PRTC      | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.4 REF\_MILITARY**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_MLTRY     | INTEGER   | Primary Key, Identity, System generated            | 1.12.28                      | TRUE |
| TX_MLTRY     | CHAR(50)  | Military values                                    |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.5 REF\_PERSPECTIVE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PRSP      | INTEGER   | Primary Key, Identity, System generated            | 1.12.30                      | TRUE |
| TX_PRSP      | CHAR(25)  | Perspective values                                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.6 REF\_REPORTER\_DESC**

| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_RPRTR_DSCR | INTEGER       | Primary Key, Identity, System generated            | 1.12.36                      | TRUE |
| ID_INTK_CTGRY | INTEGER       | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| ID_RPTR_TYPE  | CHARacter(1)  |  |                              |      |
| TX_RPRTR_DSCR | CHARacter(60) | Reporter Description values                        |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

#### **1.11.20.7 REF\_ROLES**


| Data Element  | Data Type     | Description  | Reference/<br>Default Values | Key  |
|---------------|---------------|--|------------------------------|------|
| ID_ROLE       | INTEGER       | Primary Key, Identity, System generated            | 1.12.37                      | TRUE |
| ID_INTK_CTGRY | INTEGER       | foreign key from table Ref_Intake_Ctgry            | 1.12.24                      |      |
| TX_ROLE       | CHARacter(40) | Role values  |                              |      |
| DT_ACTV       | DATE          | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE          | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP     | Indicates when a specific record was last modified |                              |      |

### **1.11.20.8      REPORTER\_INFRMTN**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_RPTR      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RPTR_DSCR | INTEGER   | foreign key from table Ref_Reporters_Dscr          | 1.12.36                      |      |
| ID_PRSP      | INTEGER   | foreign key from table Ref_Perspective             | 1.12.30                      |      |
| ID_INTK      | integer   | foreign key from table Intake                      |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| TX_EMPL_RLTN | CHAR(100) | Intake Roles page                                  |                              |      |

### **1.11.21 PKG\_SAFETY\_ASSESSMENT**





| Table Name         | Type | Data Structure | Remarks  |
|--------------------|------|----------------|--|
| PIV_CHILD_FACTOR   | DB2  | 1.11.21.1      | Associates an investigation with a participant and the reason the victim is not safe |
| PIV_CHLD_LVNG_ARNG | DB2  | 1.11.21.2      | Associates a child with their living arrangements                                    |
| PIV_SAFETY_CTGRY   | DB2  | 1.11.21.3      | Associates an investigation with a safety category                                   |
| PIV_SAFETY_REASON  | DB2  | 1.11.21.4      | Associates a safety category with a reason the victim is not safe                    |
| PIV_SAFETY_THREAT  | DB2  | 1.11.21.5      | Associates an investigation with a reason the victim is not safe                     |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| INVESTIGATION          | PKG_INVESTIGATION | 1.11.8.3       |
| PARTICIPANT            | PKG_PARTICIPANT   | 1.11.12.1      |
| PIV_ALGT_INTAKE        | PKG_INTAKE        | 1.11.7.4       |
| PIV_ALGT_INVS          | PKG_INVESTIGATION | 1.11.8.5       |
| PIV_ALGT_VCTM          | PKG_INTAKE        | 1.11.7.6       |

|                    |                 |            |
|--------------------|-----------------|------------|
| PIV_INVS_INTAKE    | PKG_INTAKE      | 1.11.7.7   |
| PRTC_DETAIL        | PKG_PARTICIPANT | 1.11.12.4  |
| REF_INTAKE_CTGRY   | PKG_REFERENCE   | 1.11.17.10 |
| REF_LIVING_ARRANGE | PKG_REFERENCE   | 1.11.17.11 |
| REF_REASON         | PKG_REFERENCE   | 1.11.17.13 |
| REF_SUFFIX         | PKG_PERSON      | 1.11.13.28 |
| REF_TITLE          | PKG_REFERENCE   | 1.11.3.7   |
| REF_TYPE_CATEGORY  | PKG_REFERENCE   | 1.11.17.18 |

#### **1.11.21.1 PIV\_CHILD\_FACTOR**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_CHLD_FACTOR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RSN         | INTEGER   | foreign key from table Ref_Reason                  | 1.12.32                      |      |
| ID_INVS        | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_PRTC        | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.21.2 PIV\_CHLD\_LVNG\_ARNG**

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_CHLD_LVNG_ARNG | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_LVNG_ARNG      | integer   | foreign key from table Ref_Living_Arrange          | 1.12.26                      |      |
| ID_INVS           | INTEGER   | foreign key from table Investigation               |                              |      |
| ID_PRTC           | INTEGER   | foreign key from table Participant                 |                              |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.21.3 PIV\_SAFETY\_CTGRY**

| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_SFTY_CTGRY | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_TYPE_CTGRY | INTEGER   | foreign key from table Ref_Type_Category           | 1.12.48                      |      |
| ID_INVS       | INTEGER   | foreign key from table Investigation               |                              |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.21.4 PIV\_SAFETY\_REASON**


| Data Element  | Data Type | Description  | Reference/<br>Default Values | Key  |
|---------------|-----------|--|------------------------------|------|
| ID_SFTY_RSN   | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_SFTY_CTGRY | INTEGER   | foreign key from table PIV_Safety_Ctgry            |                              |      |
| ID_RSN        | INTEGER   | foreign key from table Ref_Reason                  | 1.12.32                      |      |
| DT_ACTV       | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV     | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD       | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.21.5 PIV\_SAFETY\_THREAT**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_SFTY_THREAT | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_RSN         | INTEGER   | foreign key from table Ref_Reason                  | 1.12.32                      |      |
| ID_INVS        | INTEGER   | foreign key from table Investigation               |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22 PKG\_WORKER**





| <b>Table Name</b> | <b>Type</b> | <b>Data Structure</b> | <b>Remarks</b>                                 |
|-------------------|-------------|-----------------------|--|
| CASE_LOAD_PLAN    | DB2         | 1.11.22.1             |  |
| PIV_WORKER_GROUP  | DB2         | 1.11.22.2             | Associates the worker with a group             |
| PIV_WORKER_OFFICE | DB2         | 1.11.22.3             | Associates the worker with an office           |
| PIV_WRKR_NRTV     | DB2         | 1.11.22.4             | Associates the worker with a narrative         |
| PIV_WRKR_OFC_GRP  | DB2         | 1.11.22.5             | Associates a worker with an office and a group |
| PIV_WRKR_SPRVSR   | DB2         | 1.11.22.6             | Associates a worker with a supervisor          |

|                    |     |            |   |
|--------------------|-----|------------|---|
| REF_CLASSIFICATION | DB2 | 1.11.22.7  | Available classifications                                   |
| REF_GROUP          | DB2 | 1.11.22.8  | Available groups  |
| REF_PE_CODE        | DB2 | 1.11.22.9  | Available PS codes  |
| REF_TYPE_WORKER    | DB2 | 1.11.22.10 | Available worker types                                      |
| WORKER             | DB2 | 1.11.22.11 | Contains worker ID and dates to show active/inactive status |
| WRKR_DETAIL        | DB2 | 1.11.22.12 | Contains information about a particular worker              |

| Table Name (Shortcuts) | Target Package    | Data Structure |
|------------------------|-------------------|----------------|
| ATTRIBUTE              | PKG_PERSON        | 1.11.13.1      |
| CASENAME               | PKG_CASE          | 1.11.4.3       |
| FWK_PROCESS            | PKG_FRAMEWORK     | 1.11.6.8       |
| INTAKE_DETAIL          | PKG_INTAKE        | 1.11.7.3       |
| NARRATIVE              | PKG_NARRATIVE     | 1.11.10.2      |
| OTHER_PERSON_INFO      | PKG_PERSON        | 1.11.13.4      |
| PERSON                 | PKG_PERSON        | 1.11.13.5      |
| PERSON_DETAIL          | PKG_PERSON        | 1.11.13.6      |
| PHONE                  | PKG_PHONE         | 1.11.14.1      |
| PIV_ASGN_INTAKE        | PKG_INTAKE        | 1.11.7.7       |
| PIV_ASGN_INVS          | PKG_INVESTIGATION | 1.11.8.5       |
| PIV_CASE_ASGN          | PKG_CASE          | 1.11.4.5       |
| PIV_CASE_CSNM          | PKG_CASE          | 1.11.4.7       |
| PIV_CASE_INVS          | PKG_CASE          | 1.11.4.9       |
| PIV_INVS_INTAKE        | PKG_INTAKE        | 1.11.7.9       |
| PIV_OFFICE_PHONE       | PKG_OFFICE        | 1.11.11.3      |
| REF_CHOICE             | PKG_REFERENCE     | 1.11.17.12     |
| REF_INTAKE_CTGRY       | PKG_REFERENCE     | 1.11.17.10     |
| REF_OFFICE             | PKG_REFERENCE     | 1.11.17.12     |
| REF_SUFFIX             | PKG_PERSON        | 1.11.13.28     |
| REF_TITLE              | PKG_REFERENCE     | 1.11.17.14     |
| REF_TYPE_PHONE         | PKG_PHONE         | 1.11.14.2      |

### 1.11.22.1 CASE\_LOAD\_PLAN

| Data Element      | Data Type | Description  | Reference/<br>Default Values | Key  |
|-------------------|-----------|--|------------------------------|------|
| ID_CASE_LOAD_PLAN | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR           | INTEGER   | Id work worker associated with this record.        |                              |      |
| DT_ACTV           | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV         | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD           | TIMESTAMP | Indicates when a specific record was last modified |                              |      |
| ID_CLASS          | INTEGER   | foreign key from REF_Classification table          |                              |      |
| ID_PE_CODE        | INTEGER   | foreign key from REF_PE_CODE table                 |                              |      |
| NO_RC_UTIL        | INTEGER   | Number of RC Utilization                           |                              |      |

#### **1.11.22.2 PIV\_WORKER\_GROUP**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_WRKR_TO_GRP | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_GRP         | INTEGER   | foreign key from table Ref_Group                   | 1.12.21                      |      |
| ID_WRKR        | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_GRP_SPRVSR  | INTEGER   | Group Supervisor ID                                |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.22.3 PIV\_WORKER\_OFFICE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_WRKR_OFC  | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR      | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_OFC       | INTEGER   | foreign key from table ref office                  | 1.12.29                      |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.22.4 PIV\_WRKR\_NRTV**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_WRKR_NRTV | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR      | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_NRTV      | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

#### **1.11.22.5 PIV\_WRKR\_OFC\_GRP**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_WRKR_OFC_GRP | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR         | INTEGER   | Worker ID  |                              |      |
| ID_OFC          | INTEGER   | Office Id  | 1.12.20                      |      |
| ID_GRP          | INTEGER   | Group ID   | 1.12.21                      |      |
| ID_SPRVSR       | INTEGER   | Supervisor ID                                      |                              |      |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.6 PIV\_WRKER\_SPRVSR**

| Data Element    | Data Type | Description  | Reference/<br>Default Values | Key  |
|-----------------|-----------|--|------------------------------|------|
| ID_WRKER_SPRVSR | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKER        | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_SUPERVISOR   | INTEGER   | foreign key from table Worker                      |                              |      |
| ID_IMMEDIATE    | INTEGER   | foreign key from table Ref_Choice                  |                              |      |
| ID_GRP          | INTEGER   | foreign key from table Ref_Group                   |                              |      |
| DT_ACTV         | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV       | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD         | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.7 REF\_CLASSIFICATION**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_CLASS     | INTEGER   | Primary Key System Generated                       |                              | TRUE |
| TX_CLASS     | CHAR(40)  | Classification Values                              |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.8 REF\_GROUP**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_GRP       | INTEGER   | Primary Key, Identity, System generated            | 1.12.21                      | TRUE |
| ID_OFC       | INTEGER   | foreign key from table ref office                  | 1.12.20                      |      |
| TX_GRP       | CHAR(40)  | Work group within ASSIST                           |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.9 REF\_PE\_CODE**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_PE_CODE   | INTEGER   | Primary key for the table. System generated        |                              | TRUE |
| CD_PE_CODE   | CHAR(4)   |  |                              |      |
| TX_PE_CODE   | CHAR(40)  | The text value of the PE Code.                     |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.10 REF\_TYPE\_WORKER**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_TYPE_WRKR | INTEGER   | Primary Key, Identity, System generated            | 1.12.62                      | TRUE |
| TX_TYPE_WRKR | CHAR(50)  | type worker values                                 |                              |      |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.11 WORKER**

| Data Element | Data Type | Description  | Reference/<br>Default Values | Key  |
|--------------|-----------|--|------------------------------|------|
| ID_WRKR      | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| DT_ACTV      | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV    | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD      | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### **1.11.22.12 WRKR\_DETAIL**

| Data Element   | Data Type | Description  | Reference/<br>Default Values | Key  |
|----------------|-----------|--|------------------------------|------|
| ID_WRKR_DETAIL | INTEGER   | Primary Key, Identity, System generated            |                              | TRUE |
| ID_WRKR        | INTEGER   | Primary Key, Identity, System generated            |                              |      |
| ID_TITLE       | INTEGER   | Primary Key, Identity, System generated            | 1.12.44                      |      |
| ID_TYPE_WRKR   | INTEGER   | Primary Key, Identity, System generated            | 1.12.62                      |      |
| ID_PRSN        | INTeger   | Primary Key, Identity, System generated            |                              |      |
| TX_LOGIN       | CHAR(8)   | Worker login                                       |                              |      |
| TX_EMAIL_ADRS  | CHAR(40)  | Worker email address                               |                              |      |
| DT_ACTV        | DATE      | Date the record was established.                   |                              |      |
| DT_INACTV      | DATE      | Indicates if a specific record is inactive         |                              |      |
| TS_MDFD        | TIMESTAMP | Indicates when a specific record was last modified |                              |      |

### 1.11.23 Defined Relationships Between ASSIST Files

| Child Table        | Parent Table       | Defined Relationship |
|--------------------|--------------------|----------------------|
| ADRS_SCNDRY        | LOCATION           | ID_LCTN              |
| APPROVAL           | REF_DECISION       | ID_DCSN              |
| APPROVAL           | PIV_WORKER_OFFICE  | ID_WRKR_OFC          |
| ASSIST_HTML_ERROR  | WORKER             | ID_WRKR              |
| ATTRIBUTE          | REF_COLOR          | ID_COLOR_EYE         |
| ATTRIBUTE          | REF_COLOR          | ID_COLOR_HAIR        |
| ATTRIBUTE          | REF_INDIAN         | ID_INDIAN            |
| ATTRIBUTE          | REF_CHOICE         | ID_LATIN             |
| ATTRIBUTE          | PERSON             | ID_PRSN              |
| CASE_FILE          | REF_TYPE_CASE      | ID_TYPE_CASE         |
| CASE_LOAD_PLAN     | REF_CLASSIFICATION | ID_CLASS             |
| CASE_LOAD_PLAN     | REF_PE_CODE        | ID_PE_CODE           |
| CASE_LOAD_PLAN     | WORKER             | ID_WRKR              |
| CASE_MERGE         | CASE_FILE          | ID_CASE_MERGED       |
| CASE_MERGE         | CASE_FILE          | ID_CASE_RETAINED     |
| CASE_MERGE         | PIV_WORKER_OFFICE  | ID_WRKR_OFC          |
| DISPOSITION_PRPT   | REF_DECISION       | ID_DCSN              |
| DISPOSITION_PRPT   | PIV_VCTM_PRPT      | ID_VCTM_PRPT         |
| DISPOSITION_VICTIM | PIV_ALGT_VCTM      | ID_ALGT_VCTM         |
| DISPOSITION_VICTIM | REF_DECISION       | ID_DCSN              |
| FEATURE            | PERSON             | ID_PRSN              |
| FWK_CAT_PRCs       | FWK_PROCESS        | ID_PRCs              |
| FWK_CAT_PRCs       | FWK_GRP_TO_CTGRY   | ID_RLTN              |
| FWK_CATEGORY_ATRB  | FWK_CATEGORY       | ID_CTGRY             |
| FWK_CATEGORY_IMAGE | FWK_CATEGORY       | ID_CTGRY             |
| FWK_GRP_TO_CTGRY   | FWK_CATEGORY       | ID_CTGRY             |
| FWK_GRP_TO_CTGRY   | REF_GROUP          | ID_GRP               |
| FWK_LEVEL_APPROVAL | FWK_CATEGORY       | ID_CTGRY             |
| FWK_LEVEL_APPROVAL | REF_GROUP          | ID_GRP               |
| FWK_LEVEL_APPROVAL | REF_OFFICE         | ID_OFC               |
| FWK_LEVEL_APPROVAL | FWK_PROCESS        | ID_PRCs              |
| FWK_LEVEL_APPROVAL | FWK_TYPE_PROCESS   | ID_TYPE_PRCs         |
| FWK_PRCs_SPRC      | REF_GROUP          | ID_GRP               |
| FWK_PRCs_SPRC      | FWK_PROCESS        | ID_PRCs              |
| FWK_PRCs_SPRC      | FWK_SUB_PROCESS    | ID_SUB_PRCs          |
| FWK_PROCESS_ATRB   | FWK_PROCESS        | ID_PRCs              |
| FWK_PROCESS_IMAGE  | FWK_PROCESS        | ID_PRCs              |
| FWK_SUB_PRCs_ATRB  | FWK_SUB_PROCESS    | ID_SUB_PRCs          |
| FWK_SUB_PRCs_IMG   | FWK_SUB_PROCESS    | ID_SUB_PRCs          |
| IDENTIFICATION     | PERSON             | ID_PRSN              |
| INTAKE_DETAIL      | REF_CONTACT_METHOD | ID_CNTC_MTHD         |
| INTAKE_DETAIL      | INTAKE             | ID_INTK              |
| INTAKE_DETAIL      | REF_INTAKE_CTGRY   | ID_INTK_CTGRY        |
| INTAKE_DETAIL      | REF_REPORT_DSCR    | ID_RPRT_DSCR         |
| INTAKE_DETAIL      | REF_TYPE_REPORT    | ID_TYPE_RPRT         |
| INVS_DETAIL        | REF_DECISION       | ID_DCSN              |
| INVS_DETAIL        | INVESTIGATION      | ID_INVS              |
| INVS_DETAIL        | REF_TYPE_SAFETY_PL | ID_TYPE_SFTY_PLAN    |

|                    |                    |                  |
|--------------------|--------------------|------------------|
| LCTN_VERIFY        | REF_ZIP_CODE       | ID_ZIP           |
| NARRATIVE          | REF_TYPE_NARRATIVE | ID_TYPE_NRTV     |
| NARRATIVE          | WORKER             | ID_WRKR          |
| OTHER_PERSON_INFO  | REF_CHOICE         | ID_14_OR_YNGR    |
| OTHER_PERSON_INFO  | REF_CAUSE_OF_DEATH | ID_CAUSE_DTH     |
| OTHER_PERSON_INFO  | REF_CITIZENSHIP    | ID_CTZNSHP       |
| OTHER_PERSON_INFO  | REF_EDUCATION      | ID_EDCTN         |
| OTHER_PERSON_INFO  | PERSON             | ID_PRSN          |
| OTHER_PERSON_INFO  | REF_RELIGION       | ID_RLGN          |
| OTHER_PERSON_INFO  | REF_CITIZENSHIP    | ID_RSDNT_ALBM    |
| PERSON_DETAIL      | REF_GENDER         | ID_GNDR          |
| PERSON_DETAIL      | PERSON             | ID_PRSN          |
| PERSON_DETAIL      | REF_SUFFIX         | ID_SFX           |
| PERSON_DETAIL      | REF_TITLE          | ID_TITLE         |
| PERSON_SSN         | PERSON             | ID_PRSN          |
| PHONE              | REF_TYPE_PHONE     | ID_TYPE_PHN      |
| PIV_ADLT_RISK_ASSM | REF_CHOICE         | ID_CHOICE        |
| PIV_ADLT_RISK_ASSM | INVESTIGATION      | ID_INVS          |
| PIV_ADLT_RISK_ASSM | REF_LIVING_ARRANGE | ID_LVNG_ARNG     |
| PIV_ADLT_RISK_RSN  | PIV_ADLT_RISK_ASSM | ID_ADLT_RSK_ASSM |
| PIV_ADLT_RISK_RSN  | REF_REASON         | ID_RSN           |
| PIV_ALGT_INTAKE    | PIV_ALLEGATION     | ID_ALGT          |
| PIV_ALGT_INTAKE    | INTAKE             | ID_INTK          |
| PIV_ALGT_INVS      | PIV_ALLEGATION     | ID_ALGT          |
| PIV_ALGT_INVS      | INVESTIGATION      | ID_INVS          |
| PIV_ALGT_PRPT      | PIV_ALLEGATION     | ID_ALGT          |
| PIV_ALGT_PRPT      | PARTICIPANT        | ID_PRTC          |
| PIV_ALGT_VCTM      | PIV_ALLEGATION     | ID_ALGT          |
| PIV_ALGT_VCTM      | PARTICIPANT        | ID_PRTC          |
| PIV_ALLEGATION     | REF_ANE_CODE       | ID_ANE_CODE      |
| PIV_ALLEGATION     | REF_ANE_DSCR       | ID_ANE_DSCR      |
| PIV_ALLEGATION     | INCIDENT           | ID_INCDNT        |
| PIV_ASGN_INTAKE    | INTAKE             | ID_INTK          |
| PIV_ASGN_INTAKE    | REF_TYPE_ASGN      | ID_TYPE_ASGN     |
| PIV_ASGN_INTAKE    | PIV_WORKER_OFFICE  | ID_WRKR_OFC      |
| PIV_ASGN_INVS      | INVESTIGATION      | ID_INVS          |
| PIV_ASGN_INVS      | REF_TYPE_ASGN      | ID_TYPE_ASGN     |
| PIV_ASGN_INVS      | PIV_WORKER_OFFICE  | ID_WRKR_OFC      |
| PIV_CASE_ASGN      | CASE_FILE          | ID_CASE_FILE     |
| PIV_CASE_ASGN      | REF_TYPE_ASGN      | ID_TYPE_ASGN     |
| PIV_CASE_ASGN      | PIV_WORKER_OFFICE  | ID_WRKR_OFC      |
| PIV_CASE_CNTY_ASGN | CASE_FILE          | ID_CASE_FILE     |
| PIV_CASE_CNTY_ASGN | REF_OFFICE         | ID_OFC           |
| PIV_CASE_CSNM      | CASE_FILE          | ID_CASE_FILE     |
| PIV_CASE_CSNM      | CASENAME           | ID_CSNM          |
| PIV_CASE_DHR_NMBR  | CASE_FILE          | ID_CASE_FILE     |
| PIV_CASE_DHR_NMBR  | DHR_NMBR           | ID_DHR_NMBR      |
| PIV_CASE_DHR_NMBR  | REF_OFFICE         | ID_OFC           |
| PIV_CASE_INVS      | CASE_FILE          | ID_CASE_FILE     |
| PIV_CASE_INVS      | INVESTIGATION      | ID_INVS          |
| PIV_CASE_LCTN      | CASE_FILE          | ID_CASE_FILE     |

|                    |                    |                |
|--------------------|--------------------|----------------|
| PIV_CASE_LCTN      | LOCATION           | ID_LCTN        |
| PIV_CASE_LCTN      | REF_TYPE_ADDRESS   | ID_TYPE_ADRS   |
| PIV_CASE_PHN       | CASE_FILE          | ID_CASE_FILE   |
| PIV_CASE_PHN       | PHONE              | ID_PHN         |
| PIV_CHILD_FACTOR   | INVESTIGATION      | ID_INVS        |
| PIV_CHILD_FACTOR   | PARTICIPANT        | ID_PRTC        |
| PIV_CHILD_FACTOR   | REF_REASON         | ID_RSN         |
| PIV_CHLD_LVNG_ARNG | INVESTIGATION      | ID_INVS        |
| PIV_CHLD_LVNG_ARNG | REF_LIVING_ARRANGE | ID_LVNG_ARNG   |
| PIV_CHLD_LVNG_ARNG | PARTICIPANT        | ID_PRTC        |
| PIV_CONTACT        | REF_AGENCY         | ID_AGNCY       |
| PIV_CONTACT        | LOCATION           | ID_LCTN        |
| PIV_CONTACT        | REF_OFFICE         | ID_OFC         |
| PIV_CONTACT        | REF_TITLE          | ID_POSITION    |
| PIV_CONTACT        | PERSON             | ID_PRSN        |
| PIV_CONTACT        | REF_TYPE_ADDRESS   | ID_TYPE_ADRS   |
| PIV_INQUIRY        | REF_ANSWER         | ID_ANSW        |
| PIV_INQUIRY        | REF_OFFICE         | ID_OFC         |
| PIV_INQUIRY        | REF_TYPE_QUESTION  | ID_TYPE_QSTN   |
| PIV_INQUIRY        | WORKER             | ID_WRKR        |
| PIV_INTK_APPRV     | APPROVAL           | ID_APPRV       |
| PIV_INTK_APPRV     | INTAKE             | ID_INTK        |
| PIV_INTK_NTFC      | INTAKE             | ID_INTK        |
| PIV_INTK_NTFC      | PIV_NTFC           | ID_NTFC        |
| PIV_INTK_RCMN      | INTAKE             | ID_INTK        |
| PIV_INTK_RCMN      | RECOMMENDATION     | ID_RCMN        |
| PIV_INVS_APPRV     | APPROVAL           | ID_APPRV       |
| PIV_INVS_APPRV     | INVESTIGATION      | ID_INVS        |
| PIV_INVS_INTAKE    | INTAKE             | ID_INTK        |
| PIV_INVS_INTAKE    | INVESTIGATION      | ID_INVS        |
| PIV_INVS_NARRATIVE | INVESTIGATION      | ID_INVS        |
| PIV_INVS_NARRATIVE | NARRATIVE          | ID_NRTV        |
| PIV_INVS_NTFC      | INVESTIGATION      | ID_INVS        |
| PIV_INVS_NTFC      | PIV_NTFC           | ID_NTFC        |
| PIV_INVS_RCMN      | INVESTIGATION      | ID_INVS        |
| PIV_INVS_RCMN      | RECOMMENDATION     | ID_RCMN        |
| PIV_INVS_ROLE      | INVESTIGATION      | ID_INVS        |
| PIV_INVS_ROLE      | PARTICIPANT        | ID_PRTC        |
| PIV_INVS_ROLE      | REF_ROLE           | ID_ROLE        |
| PIV LETTERHEAD     | REF_OFFICE         | ID_OFC         |
| PIV LETTERHEAD     | PIV_OFFICE_LCTN    | ID_OFC_LCTN    |
| PIV LETTERHEAD     | PIV_OFFICE_PHONE   | ID_OFC_PHN     |
| PIV LETTERHEAD     | PIV_OFFICE_PHONE   | ID_OFFICE_FAX  |
| PIV LETTERHEAD     | WORKER             | ID_SCNDRY_WRKR |
| PIV_NRTV_CONTACT   | REF_CONTACT_LCTN   | ID_CNTC_LCTN   |
| PIV_NRTV_CONTACT   | REF_CONTACT_METHOD | ID_CNTC_MTHD   |
| PIV_NRTV_CONTACT   | PIV_INVS_NARRATIVE | ID_INVS_NRTV   |
| PIV_NRTV_INTAKE    | INTAKE             | ID_INTK        |
| PIV_NRTV_INTAKE    | NARRATIVE          | ID_NRTV        |
| PIV_NTFC           | REF_AGENCY         | ID_AGNCY       |
| PIV_NTFC           | PIV_CONTACT        | ID_CNTC        |

|                  |                    |                |
|------------------|--------------------|----------------|
| PIV_NTFC         | REF_CONTACT_METHOD | ID_CNTC_MTHD   |
| PIV_OFFICE_LCTN  | LOCATION           | ID_LCTN        |
| PIV_OFFICE_LCTN  | REF_OFFICE         | ID_OFC         |
| PIV_OFFICE_LCTN  | REF_TYPE_ADDRESS   | ID_TYPE_ADRS   |
| PIV_OFFICE_NRTV  | NARRATIVE          | ID_NRTV        |
| PIV_OFFICE_NRTV  | REF_OFFICE         | ID_OFC         |
| PIV_OFFICE_PHONE | REF_OFFICE         | ID_OFC         |
| PIV_OFFICE_PHONE | PHONE              | ID_PHN         |
| PIV_PERSON_AKA   | REF_AKA            | ID_AKA         |
| PIV_PERSON_AKA   | PERSON             | ID_PRSN        |
| PIV_PERSON_AKA   | REF_SUFFIX         | ID_SFX         |
| PIV_PERSON_AKA   | REF_TITLE          | ID_TITLE       |
| PIV_PERSON_GRDN  | PERSON             | ID_PRSN_GRDN   |
| PIV_PERSON_GRDN  | PERSON             | ID_PRSN_WARD   |
| PIV_PERSON_GRDN  | REF_TYPE_GUARDIAN  | ID_TYPE_GRDN   |
| PIV_PERSON_LANG  | REF_LANGUAGE       | ID_LANG        |
| PIV_PERSON_LANG  | PERSON             | ID_PRSN        |
| PIV_PERSON_LCTN  | LOCATION           | ID_LCTN        |
| PIV_PERSON_LCTN  | PERSON             | ID_PRSN        |
| PIV_PERSON_LCTN  | REF_TYPE_ADDRESS   | ID_TYPE_ADRS   |
| PIV_PERSON_MRTL  | REF_MARITAL_STATUS | ID_MRTL_STTS   |
| PIV_PERSON_MRTL  | PERSON             | ID_PRSN        |
| PIV_PERSON_MRTL  | PERSON             | ID_PRSN_SPOUSE |
| PIV_PERSON_PHN   | PHONE              | ID_PHN         |
| PIV_PERSON_PHN   | PERSON             | ID_PRSN        |
| PIV_PERSON_RACE  | PERSON             | ID_PRSN        |
| PIV_PERSON_RACE  | REF_RACE           | ID_RACE        |
| PIV_PRTC_CASE    | CASE_FILE          | ID_CASE_FILE   |
| PIV_PRTC_CASE    | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_INTAKE  | INTAKE             | ID_INTK        |
| PIV_PRTC_INTAKE  | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_INVS    | INVESTIGATION      | ID_INVS        |
| PIV_PRTC_INVS    | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_MLTRY   | REF_MILITARY       | ID_MLTRY       |
| PIV_PRTC_MLTRY   | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_NRTV    | PIV_INVS_NARRATIVE | ID_INVS_NRTV   |
| PIV_PRTC_NRTV    | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_PERSON  | PERSON             | ID_PRSN        |
| PIV_PRTC_PERSON  | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_RLTN    | PARTICIPANT        | ID_PRTC_WHO    |
| PIV_PRTC_RLTN    | PARTICIPANT        | ID_PRTC_WHOM   |
| PIV_PRTC_RLTN    | REF_RELATIONSHIP   | ID_RLTN        |
| PIV_PRTC_ROLE    | INTAKE             | ID_INTK        |
| PIV_PRTC_ROLE    | PARTICIPANT        | ID_PRTC        |
| PIV_PRTC_ROLE    | REF_ROLE           | ID_ROLE        |
| PIV_RCMD_DSCR    | RECOMMENDATION     | ID_RCMN        |
| PIV_RCMD_DSCR    | REF_TYPE_DSCR      | ID_TYPE_DSCR   |
| PIV_RLTN_INTAKE  | INTAKE             | ID_INTK        |
| PIV_RLTN_INTAKE  | PIV_PRTC_RLTN      | ID_PRTC_RLTN   |
| PIV_RLTN_INVS    | INVESTIGATION      | ID_INVS        |
| PIV_RLTN_INVS    | PIV_PRTC_RLTN      | ID_PRTC_RLTN   |

|                   |                    |                   |
|-------------------|--------------------|-------------------|
| PIV_RPRT_HSTRY    | PIV_CONTACT        | ID_CNTC           |
| PIV_RPRT_HSTRY    | NARRATIVE          | ID_NRTV           |
| PIV_RPRT_HSTRY    | PERSON             | ID_PRSN           |
| PIV_RPRT_HSTRY    | REF_RPRT_LOVS      | ID_RPRT_LOVS      |
| PIV_RPRT_HSTRY    | PIV_RPRT_LTRH      | ID_RPRT_LTRH      |
| PIV_RPRT_HSTRY    | REF_RPRT_TITLE     | ID_RPRT_TITLE     |
| PIV_RPRT_HSTRY    | WORKER             | ID_SUPERVISOR     |
| PIV_RPRT_HSTRY    | WORKER             | ID_WRKR           |
| PIV_RPRT_INTK     | INTAKE             | ID_INTK           |
| PIV_RPRT_INTK     | PIV_RPRT_HSTRY     | ID_PIV_RPRT_HSTRY |
| PIV_RPRT_INVS     | INVESTIGATION      | ID_INVS           |
| PIV_RPRT_INVS     | PIV_RPRT_HSTRY     | ID_PIV_RPRT_HSTRY |
| PIV_RPRT_LTRH     | PIV LETTERHEAD     | ID_LTRH           |
| PIV_RPRT_LTRH     | REF_RPRT_TITLE     | ID_RPRT_TITLE     |
| PIV_SAFETY_CTGRY  | INVESTIGATION      | ID_INVS           |
| PIV_SAFETY_CTGRY  | REF_TYPE_CATEGORY  | ID_TYPE_CTGRY     |
| PIV_SAFETY_REASON | REF_REASON         | ID_RSN            |
| PIV_SAFETY_REASON | PIV_SAFETY_CTGRY   | ID_SFTY_CTGRY     |
| PIV_SAFETY_THREAT | INVESTIGATION      | ID_INVS           |
| PIV_SAFETY_THREAT | REF_REASON         | ID_RSN            |
| PIV_SFTY_PLAN     | REF_ACTION         | ID_ACTION         |
| PIV_SFTY_PLAN     | INVESTIGATION      | ID_INVS           |
| PIV_SFTY_PLAN     | REF_TYPE_SAFETY_PL | ID_TYPE_SFTY_PLAN |
| PIV_VCTM_PRPT     | PIV_ALGT_PRPT      | ID_ALGT_PRPT      |
| PIV_VCTM_PRPT     | PIV_ALGT_VCTM      | ID_ALGT_VCTM      |
| PIV_VCTM_PRPT     | REF_RELATIONSHIP   | ID_RLTN           |
| PIV_WORKER_GROUP  | REF_GROUP          | ID_GRP            |
| PIV_WORKER_GROUP  | REF_CHOICE         | ID_GRP_SPRVSR     |
| PIV_WORKER_GROUP  | WORKER             | ID_WRKR           |
| PIV_WORKER_OFFICE | REF_OFFICE         | ID_OFC            |
| PIV_WORKER_OFFICE | WORKER             | ID_WRKR           |
| PIV_WRKR_NRTV     | NARRATIVE          | ID_NRTV           |
| PIV_WRKR_NRTV     | WORKER             | ID_WRKR           |
| PIV_WRKR_SPRVSR   | REF_GROUP          | ID_GRP            |
| PIV_WRKR_SPRVSR   | REF_CHOICE         | ID_IMMEDIATE      |
| PIV_WRKR_SPRVSR   | WORKER             | ID_SUPERVISOR     |
| PIV_WRKR_SPRVSR   | WORKER             | ID_WRKR           |
| PIV_XML_HSTRY     | NARRATIVE          | ID_NRTV           |
| PIV_XML_HSTRY     | PIV_RPRT_HSTRY     | ID_PIV_RPRT_HSTRY |
| PRSN_MERGE        | PERSON             | ID_PRSN_MERGED    |
| PRSN_MERGE        | PERSON             | ID_PRSN_RETAINED  |
| PRSN_MERGE        | PIV_WORKER_OFFICE  | ID_WRKR_OFC       |
| PRTC_DETAIL       | PARTICIPANT        | ID_PRTC           |
| PRTC_DETAIL       | REF_SUFFIX         | ID_SFX            |
| PRTC_DETAIL       | REF_TITLE          | ID_TITLE          |
| PRTC_DETAIL       | REF_TYPE_PRTC      | ID_TYPE_PRTC      |
| RECOMMENDATION    | REF_ACTION         | ID_ACTION         |
| RECOMMENDATION    | REF_AGENCY         | ID_AGNCY          |
| RECOMMENDATION    | REF_CTGRY_INTERVAL | ID_CTGRY_INTRVL   |
| RECOMMENDATION    | REF_RSTR_REASON    | ID_RSTR_RSN       |
| REF_ACTION        | REF_TYPE_DECISION  | ID_TYPE_DCSN      |

|                    |                   |                |
|--------------------|-------------------|----------------|
| REF_AGENCY         | REF_TYPE_CASE     | ID_TYPE_CASE   |
| REF_AGENCY         | REF_TYPE_CONTACT  | ID_TYPE_CNTC   |
| REF_ANE_CODE       | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_ANE_DSCR       | REF_ANE_CODE      | ID_ANE_CODE    |
| REF_ANSWER         | REF_OFFICE        | ID_OFC         |
| REF_APP_ERROR      | REF_TABLE_NAME    | ID_TABLE_NAME  |
| REF_CHECKLIST      | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_CHECKLIST      | REF_OFFICE        | ID_OFC         |
| REF_CHECKLIST      | REF_TYPE_REPORT   | ID_TYPE_RPRT   |
| REF_COLOR          | REF_TYPE_COLOR    | ID_TYPE_COLOR  |
| REF_CONTACT_LCTN   | REF_OFFICE        | ID_OFC         |
| REF_CONTACT_METHOD | REF_OFFICE        | ID_OFC         |
| REF_CTGRY_INTERVAL | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_CTGRY_INTERVAL | REF_TYPE_INTERVAL | ID_TYPE_INTRVL |
| REF_DECISION       | REF_TYPE_DECISION | ID_TYPE_DCSN   |
| REF_DW_ERRORS      | REF_APP_ERROR     | ID_ERR         |
| REF_GROUP          | REF_OFFICE        | ID_OFC         |
| REF_HELP_XREF      | FWK_PROCESS       | ID_PRCS        |
| REF_HELP_XREF      | FWK_SUB_PROCESS   | ID_SUB_PRCS    |
| REF_INTAKE_CTGRY   | REF_TYPE_CASE     | ID_TYPE_CASE   |
| REF_LIVING_ARRANGE | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_REASON         | REF_TYPE_CATEGORY | ID_TYPE_CTGRY  |
| REF_RELATIONSHIP   | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_REPORT_DSCR    | REF_TYPE_REPORT   | ID_TYPE_RPRT   |
| REF_REPORTER_DSCR  | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_ROLE           | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_RPRT_LOVS      | REF_RPRT_TITLE    | ID_RPRT_TITLE  |
| REF_RPRT_TITLE     | REF_FORMAT        | ID_FORMAT      |
| REF_RPRT_TITLE     | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_RPRT_TITLE     | FWK_PROCESS       | ID_PRCS        |
| REF_RPRT_TITLE     | REF_XSLT          | ID_XSLT        |
| REF_RSTR_REASON    | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_TITLE          | REF_OFFICE        | ID_OFC         |
| REF_TYPE_CATEGORY  | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_TYPE_CONTACT   | REF_OFFICE        | ID_OFC         |
| REF_TYPE_DECISION  | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_TYPE_DSCR      | REF_TYPE_FACTOR   | ID_TYPE_FACTOR |
| REF_TYPE_FACTOR    | REF_CHOICE        | ID_CHOICE      |
| REF_TYPE_FACTOR    | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_TYPE_NARRATIVE | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_TYPE_QUESTION  | REF_OFFICE        | ID_OFC         |
| REF_TYPE_REPORT    | REF_INTAKE_CTGRY  | ID_INTK_CTGRY  |
| REF_ZIP_CODE       | REF_CITY          | ID_CITY        |
| REF_ZIP_CODE       | REF_COUNTY        | ID_CNTY        |
| REF_ZIP_CODE       | REF_STATE         | ID_STATE       |
| REPORTER_INFRMTN   | INTAKE            | ID_INTK        |
| REPORTER_INFRMTN   | REF_PERSPECTIVE   | ID_PRSP        |
| REPORTER_INFRMTN   | REF_REPORTER_DSCR | ID_RPRTR_DSCR  |
| WRKR_DETAIL        | PERSON            | ID_PRSN        |
| WRKR_DETAIL        | REF_TITLE         | ID_TITLE       |
| WRKR_DETAIL        | REF_TYPE_WORKER   | ID_TYPE_WRKR   |

| WRKR_DETAIL | WORKER | ID_WRKR |
|-------------|--------|---------|
|-------------|--------|---------|

## **1.12 Reference Data**

See document Appendix J – ASSIST – Reference Data – Conversion Systems Documentation.

## **2.0 ACWIS (Alabama Child Welfare Information System)**

See document Appendix J – ACWIS

## **3.0 FSS (Family Services System)**

See document Appendix J – FSS

## **4.0 FCBS (Federal Claiming and Billing System)**

See document Appendix J – FCBS

## **5.0 STAC (Services Tracking, Accounting and Claiming)**

See document Appendix J – STAC

## **6.0 ASP (Adoption Subsidy Payroll)**

See document Appendix J – ASP